

EECS 10: Assignment 1

Professor Rainer Doemer

September 24, 2004

Due Monday 4 Oct 2004 at 12:00pm

1 Login to your Unix account

For this class, you will be doing your assignments by *logging on* to a shared machine (server) running the Unix operating system. Even though you may be using a personal computer or a workstation that is capable of computation locally, you will mainly be using them as *terminals* (clients), whose job is to pass keystrokes to the server and display outputs from the server.

To use a shared machine, first you need an *account* on the machine. You need to get your username and password for the EECS account from a TA if you don't already have them. DO NOT contact NACS directly. We are NOT using NACS unix machines for EECS 10. You must go through the EECS 10 head TA (eecs10@eecs.uci.edu) if you have not received your user name / password by now.

The name of the instructional server is east.eecs.uci.edu. You can log in to your account with your user name and password. Your account also comes with a certain amount of disk space. You can use this space to store homework assignment files, and you don't need to bring your own disks or other storage media.

Alternatively, if east.eecs.uci.edu is under heavy load, the following servers may be used instead: malibu.eecs.uci.edu and newport.eecs.uci.edu. You can use the same user name and password, and your files will be the same.

1.1 Software and commands for remote login

You can connect to east.eecs.uci.edu from virtually any computer anywhere that has internet access. What you need is a client program for *remote login*.

Previously, people used **rlogin** or **telnet** to connect to the server, and **ftp** or **rnp** to transfer files. However, they are insecure, because your keystrokes or output are in clear text and can be *snooped* by others. This means your account name and password can be stolen this way. So, for security reasons, do not use either of these programs.

Instead, use **ssh** as the primary way to connect to the server. **ssh** stands for *secure shell*, and it encrypts your network communication, so that your data looks like garbage to snoopers. For file transfers, use **sftp** or **scp**, which are secure. You could also set up an *ssh-tunnel* so that previously unencrypted communications can be encrypted.

Depending on what computer you use, it may have a different *implementation* of **ssh**, but the basic function underneath are all the same. Check out NACS's page on SSH:

http://www.nacs.uci.edu/support/sysadmin/ssh_info.html

- If you are logging in from a Win32 machine, you can use **PuTTY**.
- MacOS X already has this built-in (use Terminal or X11 to run a unix shell). Most Linux distributions also bundle ssh.
- If you are logging in from an X terminal, you can use the command
% **ssh** east.eecs.uci.edu -X -l *yourUserName*
(note: % is the prompt, not part of your command) It will prompt you for your password. Note that the -X option allows you to run programs that open X windows on your screen (e.g, Netscape, IDLE, etc)

1.2 Unix Shell

By now you should be logged in, and you should be looking at the prompt
east% _

Note: in the following writeup, we will show just
%
for the prompt, instead of
east%

If you login to another machine, such as malibu, then the prompt would instead look like
malibu%

You should change your password using the **passwd** command. The password will be changed on all the EECS Sun machines, not just on east.eecs.uci.edu.

Try out the following commands at the shell prompt.

ls	list files
cd	(change working directory)
pwd	(print working directory)
mkdir	(make directory)
mv	(rename/move files)
cp	(copy files)
rm	(remove files)
rmdir	(remove directory)
cat	(print the content of a file)
more	(print the content of a file, one screen at a time)
echo	(print the arguments on the rest of the command line)

Most commands take one or more file names as parameters. When referring to files, you may need to qualify the file name with directory references, absolute vs. relative paths:

.	(current directory)
..	(one level higher)
~	(home directory)
/	the root (top level) directory

1.3 Follow the Unix Guide

Follow the unix guide at:

<http://www.nacs.uci.edu/help/manuals/uci.unix.guide/>

Learn basic shell commands: list files, change directory, rename files, move files, copy files, show file content.

There is nothing to turn in for this part.

2 Learning to use a text editor

In order to write your code on one of the unix servers, a text editor must be used. There are many varieties of editors available on the unix platform, but the easiest for novices is *pico*. This program can be accessed by typing **pico** at a unix shell prompt. Alternatively, a more advanced text editor, called *vi* (accessible by typing **vi** at the command prompt), may be used, but this is not recommended for first time users.

3 Exercise 2.21 (page 53) [20 points]

First create a subdirectory named hw1 (for homework one). Then, use a text editor (*vi* or *pico*) to create a C file named 2.21.c. Do not use a word processor and transfer or paste the content. The file should state your name and exercise number.

3.1 Compiling your code

To test your program, it must be compiled with the `gcc` command. This command will report any errors in your code.

To call `gcc`, use the following template:

```
% gcc -o targetfile sourcefile
```

Then, simply execute the compiled file by typing the following:

```
% targetfile
```

Below is an example of how you would compile and execute exercise 2.21:

```
% gcc -o 2.21 2.21.c
```

```
% 2.21
```

```
program executes
```

```
east% _
```

A text file, `2.21.txt`, must be submitted as well that explains what the program does and why you chose your method of implementation.

You also need to show that it works with your own test cases by turning in a typescript named `2.21.script`. For instructions on how to create a typescript, see Scripting Guide Section at the end of these notes.

4 Submit your work

Here is a checklist of the files you should have:

In the `hw1` directory, you should have the following files in your unix account:

- `2.21.c`
- `2.21.txt`
- `2.21.script`

You should `cd` into a level above `hw1` and type the command

```
% /ecelib/bin/turnin
```

which will guide you through the submission process.

You will be asked if you want to submit your files. Type yes or no. If you type “n” or “y” or just plain return, they will be ignored and be taken as a no.

Below is an example of how you would submit your homework:

```
% ls # This step is just to make sure that you are in the correct directory that contains hw1/  
hw1/
```

```
% /ecelib/bin/turnin
```

```
=====  
EECS 10 FALL 2004 hw1 submission process for eeecs10  
Due date: Mon Oct 4 12:00:00 2004
```

```
=====  
Submit 2.21.c[yes, no]? yes
```

```
File 2.21.c has been submitted
```

```
Submit 2.21.txt[yes, no]? yes
```

```
File 2.21.txt has been submitted
```

```
Submit 2.21.script[yes, no]? yes
```

```
File 2.21.script has been submitted
```

```
=====  
Summary:
```

```
=====  
You just submitted file(s):
```

```
2.21.c
```

```
2.21.txt
2.21.script
east% _
```

5 Typescript

A typescript is a text file that captures an interactive session with the unix shell. Very often you are required to turn in a typescript to show that your program runs correctly. To create a typescript, use the **script** command. Here is an example:

- Type the command **script** into the shell. It should say
Script started, file is typescript
% _
This means it is recording every key stroke and every output character into a file named “typescript”, until you hit **^D** or type **exit**.
- Type some shell commands; you can also enter the python prompt. But don't start a text editor!
- Stop recording the typescript by typing **exit**.
% **exit**
Script done, file is typescript
% _
- Now you should have a text file named typescript. Make sure it looks correct.
% **more** typescript
Script started on Thu Sep 25 23:43:56 2003
...
...

You should immediately rename the typescript to another file name. Otherwise, if you run **script** again, it will overwrite the typescript file.

Note: If you backspace while in script, it will show the **^H** (control-H) character in your typescript. This is normal. If you use **more** to view the typescript, then it should look normal.