

EECS 10: Computational Methods in Electrical and Computer Engineering

Lecture 16

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Lecture 16: Overview

- Course administration
 - Reminder: Midterm course evaluation
- Data Structures
 - Introduction
 - Arrays
 - Introduction
 - Indexing
 - Initialization
 - Multi-dimensional arrays
 - Operator associativity and precedence
 - Example
 - `Histogram.c`

Course Administration

- Midterm Course Evaluation
 - This week!
 - Oct. 27, 2006, 8am - Nov. 2, 2006, 12pm
 - Online via EEE Evaluation application
- Feedback from students to instructors
 - Completely voluntary
 - Completely anonymous
 - Very valuable
 - Help to improve this class!
- Mandatory Final Course Evaluation
 - expected for week 10 (TBA)

Data Structures

- Introduction
 - Until now, we have used (mostly) single data elements of basic (non-composite) type
 - integral types
 - floating point types
 - Most programs, however, require complex *data structures* using composite types
 - arrays, lists, queues, stacks
 - trees, graphs
 - dictionaries
 - ANSI C provides built-in support for
 - Arrays
 - Structures, unions, enumerators
 - Pointers

Arrays

- Array data type in C
 - Composite data type
 - Type is an array of a sub-type (e.g. array of `int`)
 - Fixed number of elements
 - Array size is fixed at time of definition (e.g. 100 elements)
 - Element access by index (aka. subscript)
 - Element-access operator: `array[index]` (e.g. `A[42]`)
- Example:

```
int A[10]; /* array of ten integers */

A[0] = 42; /* access to elements */
A[1] = 100;
A[2] = A[0] + 5 * A[1];
```

Arrays

- Array Indexing
 - Start counting from 0
 - First element has index 0
 - Last element has index Size-1
- Example:

```
int A[10];

A[0] = 42;
A[1] = 100;
A[2] = A[0] + 5 * A[1];
A[3] = -1;
A[4] = 44;
A[5] = 55;
/* ... */
A[9] = 99;
```

	A
0	42
1	100
2	542
3	-1
4	44
5	55
6	0
7	0
8	0
9	99

Arrays

- Array Indexing
 - **for** loops are often very helpful
 - `for(i=0; i<N; i++)`
 - `{...A[i]...}`

- Example:

```
int A[10];
int i;

for(i=0; i<10; i++)
{ A[i] = i*10 + i;
}
for(i=0; i<10; i++)
{ printf("%d, ", A[i]);
}
```

A	
0	0
1	11
2	22
3	33
4	44
5	55
6	66
7	77
8	88
9	99

0, 11, 22, 33, 44, 55, 66, 77, 88, 99,

Arrays

- Array Indexing
 - Array indices are *not* checked by the compiler!
 - Accessing an array with an *index out of range* results in undefined behavior!

- Example:

```
int A[10];
int i;

A[-1] = 42; /* INVALID ACCESS! */

for(i=0; i<=10; i++)
/* INVALID LOOP RANGE! */
{ printf("%d, ", A[i]);
}
```

0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0

Arrays

- Array Initialization
 - Static initialization at time of array definition
 - Initial elements listed in {}
- Example:

```
int A[10] = { 42, 100,
              310, 44,
              55, 0,
              3, 4,
              0, 99};
```

A	
0	42
1	100
2	310
3	44
4	55
5	0
6	3
7	4
8	0
9	99

Arrays

- Array Initialization
 - Static initialization at time of array definition
 - Initial elements listed in {}
- Example:

```
int A[ ] = { 42, 100,
              310, 44,
              55, 0,
              3, 4,
              0, 99};
```

A	
0	42
1	100
2	310
3	44
4	55
5	0
6	3
7	4
8	0
9	99

- With given initializer list, array size may be omitted
 - automatically determined

Arrays

- Array Initialization
 - Static initialization at time of array definition
 - Initial elements listed in {}
- Example:


```
int A[10] = { 1, 2, 3};
```
- With given initializer list and array size, unlisted elements are zero-initialized
 - array is filled up with zeros

	A
0	1
1	2
2	3
3	0
4	0
5	0
6	0
7	0
8	0
9	0

Arrays

- Multi-dimensional Arrays
 - *Array of an array...*
- Example:

```
int M[3][2] = {{1, 2},
                {3, 4},
                {5, 6}};
int i, j;

for(i=0; i<3; i++)
    { for(j=0; j<2; j++)
        { printf("%d ",
                 M[i][j]);
        }
    printf("\n");
}
```

M	0	1
0	1	2
1	3	4
2	5	6

1	2
3	4
5	6

Arrays

- Operator associativity and precedence

– parentheses, array access	(), []	left to right
– unary operators	+, -, !, ++, --	right to left
– type casting	(<i>typename</i>)	right to left
– multiplication, division, modulo	*, /, %	left to right
– addition, subtraction	+, -	left to right
– shift left, shift right	<<, >>	left to right
– relational operators	<, <=, >=, >	left to right
– equality	==, !=	left to right
– logical and	&&	left to right
– logical or		left to right
– conditional operator	? :	left to right
– assignment operators	=, +=, *=, etc.	right to left
– comma operator	,	left to right

EECS10: Computational Methods in ECE, Lecture 16

(c) 2006 R. Doemer

13

Arrays

- Program example: `Histogram.c`
- Desired output:

```
% Histogram
Please enter data value 1: 11
Please enter data value 2: 22
Please enter data value 3: 3
Please enter data value 4: 33
[...]
1:    11 *****
2:    22 *****
3:    3 ****
4:    33 *****
[...]
```

EECS10: Computational Methods in ECE, Lecture 16

(c) 2006 R. Doemer

14

Arrays

- Program example: **Histogram.c** (part 1/3)

```
/* Histogram.c: print a histogram of data values      */
/* author: Rainer Doemer                           */
/* modifications:                                  */
/* 11/02/04 RD initial version                   */
#include <stdio.h>
/* constants */
#define NUM_ROWS 10
/* main function */
int main(void)
{
    /* variable definitions */
    int Data[NUM_ROWS];
    int i, j, max;
    double scale;

    ...
}
```

Arrays

- Program example: **Histogram.c** (part 2/3)

```
...
/* input section */
for(i = 0; i < NUM_ROWS; i++)
{ printf("Please enter data value %2d: ", i+1);
  scanf("%d", &Data[i]);
} /* rof */

/* computation section */
max = 0;
for(i = 0; i < NUM_ROWS; i++)
{ if (Data[i] > max)
  { max = Data[i];
  } /* fi */
} /* rof */
scale = 70.0 / max;

...
```

Arrays

- Program example: **Histogram.c** (part 3/3)

```
...
/* output section */
for(i = 0; i < NUM_ROWS; i++)
    { printf("%2d: %5d ", i+1, Data[i]);
        for(j = 0; j < Data[i]*scale; j++)
            { printf("*");
            } /* rof */
        printf("\n");
    } /* rof */

/* exit */
return 0;
} /* end of main */

/* EOF */
```

Arrays

- Example session: **Histogram.c**

```
% vi Histogram.c
% gcc Histogram.c -o Histogram -Wall -ansi
% Histogram
Please enter data value 1: 11
Please enter data value 2: 22
Please enter data value 3: 3
Please enter data value 4: 33
Please enter data value 5: 44
Please enter data value 6: 55
Please enter data value 7: 66
Please enter data value 8: 33
Please enter data value 9: 22
Please enter data value 10: 22
1: 11 ****
2: 22 ****
3: 3 ***
4: 33 ****
5: 44 ****
6: 55 ****
7: 66 ****
8: 33 ****
9: 22 ****
10: 22 ****
```