

EECS 10: Computational Methods in Electrical and Computer Engineering

Lecture 22

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Lecture 22: Overview

- Pointers
 - Definition, initialization and assignment
 - Pointer dereferencing
 - Pointer arithmetic
 - Increment, decrement
 - Pointer comparison
 - String operations using pointers
 - Pointer and array type equivalence
 - Passing pointers to functions
 - Type qualifier `const`
 - Standard library functions
 - String operations defined in `string.h`

Pointers

- Pointers are variables whose values are *addresses*
 - The “address-of” operator (`&`) returns a pointer!
- Pointer Definition
 - The unary `*` operator indicates a pointer type in a definition

```
int x = 42; /* regular integer variable */
int *p; /* pointer to an integer */
```
- Pointer initialization or assignment
 - A pointer may be set to the “address-of” another variable
 - A pointer may be set to 0 (points to no object)
 - A pointer may be set to `NULL` (points to “NULL” object)

```
p = &x; /* p points to x */
p = 0; /* p points to no object */
#include <stdio.h> /* defines NULL as 0 */
p = NULL; /* p points to no object */
```

EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

3

Pointers

- Pointer Dereferencing
 - The unary `*` operator dereferences a pointer to the value it points to (“content-of” operator)

```
#include <stdio.h>
int x = 42; /* regular integer variable */
int *p = NULL; /* pointer to an integer */
```

p

0

x

42

EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

4

Pointers

- Pointer Dereferencing

- The unary `*` operator dereferences a pointer to the value it points to (“content-of” operator)

```
#include <stdio.h>

int x = 42; /* regular integer variable */
int *p = NULL; /* pointer to an integer */

p = &x; /* make p point to x */
printf("x is %d, content of p is %d\n", x, *p);
```

x is 42, content of p is 42



Pointers

- Pointer Dereferencing

- The unary `*` operator dereferences a pointer to the value it points to (“content-of” operator)

```
#include <stdio.h>

int x = 42; /* regular integer variable */
int *p = NULL; /* pointer to an integer */

p = &x; /* make p point to x */
printf("x is %d, content of p is %d\n", x, *p);
*p = 2 * *p; /* multiply content of p by 2 */
printf("x is %d, content of p is %d\n", x, *p);
```

x is 42, content of p is 42
x is 84, content of p is 84



Pointers


- Pointer Dereferencing
 - The `->` operator dereferences a pointer to a structure to the content of a structure member

```
struct Student
{
    int ID;
    char Name[40];
    char Grade;
};

struct Student Jane =
{1001, "Jane Doe", 'A'};

struct Student *p = &Jane;

void PrintStudent(void)
{
    printf("ID: %d\n", p->ID);
    printf("Name: %s\n", p->Name);
    printf("Grade: %c\n", p->Grade);
}
```



EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

7

Pointers

- Pointer Arithmetic
 - Pointers pointing into arrays may be ...
 - ... incremented to point to the next array element
 - ... decremented to point to the previous array element

```
int x[5] = {10,20,30,40,50}; /* array of 5 integers */
int *p; /* pointer to integer */

p = &x[1]; /* point p to x[1] */
printf("%d, ", *p); /* print content of p */
```

20,

EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

8

Pointers

- Pointer Arithmetic

- Pointers pointing into arrays may be ...

- ... incremented to point to the next array element
 - ... decremented to point to the previous array element

```
int x[5] = {10,20,30,40,50}; /* array of 5 integers */
int *p;                      /* pointer to integer */

p = &x[1];                  /* point p to x[1] */
printf("%d, ", *p);          /* print content of p */
p++;                        /* increment p by 1 */
printf("%d, ", *p);          /* print content of p */
```

```
20, 30,
```

Pointers

- Pointer Arithmetic

- Pointers pointing into arrays may be ...

- ... incremented to point to the next array element
 - ... decremented to point to the previous array element

```
int x[5] = {10,20,30,40,50}; /* array of 5 integers */
int *p;                      /* pointer to integer */

p = &x[1];                  /* point p to x[1] */
printf("%d, ", *p);          /* print content of p */
p++;                        /* increment p by 1 */
printf("%d, ", *p);          /* print content of p */
p--;                        /* decrement p by 1 */
printf("%d, ", *p);          /* print content of p */
```

```
20, 30, 20,
```

Pointers

- Pointer Arithmetic

- Pointers pointing into arrays may be ...
 - ... incremented to point to the next array element
 - ... decremented to point to the previous array element

```
int x[5] = {10,20,30,40,50}; /* array of 5 integers */
int *p;                      /* pointer to integer */

p = &x[1];                  /* point p to x[1] */
printf("%d, ", *p);          /* print content of p */
p++;                        /* increment p by 1 */
printf("%d, ", *p);          /* print content of p */
p--;                        /* decrement p by 1 */
printf("%d, ", *p);          /* print content of p */
p += 2;                     /* increment p by 2 */
printf("%d, ", *p);          /* print content of p */
```

20, 30, 20, 40,

Pointers

- Pointer Comparison

- Pointers may be compared for equality
 - operators == and != are useful to determine *identity*
 - operators <, <=, >=, and > are *not* applicable

```
int x[5] = {10,20,10,20,10}; /* array of 5 integers */
int *p1, *p2;                /* pointers to integer */

p1 = &x[1]; p2 = &x[3];      /* point to x[1], x[3] */

if (p1 == p2)
{ printf("p1 and p2 are identical!\n");
}
if (*p1 == *p2)
{ printf("Contents of p1 and p2 are the same!\n");
}
```

Contents of p1 and p2 are the same!

Pointers

- Pointer Comparison
 - Pointers may be compared for equality
 - operators == and != are useful to determine *identity*
 - operators <, <=, >=, and > are *not* applicable

```
int x[5] = {10,20,10,20,10}; /* array of 5 integers */
int *p1, *p2;                /* pointers to integer */

p1 = &x[1]; p2 = &x[3];        /* point to x[1], x[3] */
p1 += 2;                      /* increment p1 by 2 */
if (p1 == p2)
{ printf("p1 and p2 are identical!\n");
}
if (*p1 == *p2)
{ printf("Contents of p1 and p2 are the same!\n");
}
```

p1 and p2 are identical!
Contents of p1 and p2 are the same!

EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

13

Pointers

- String Operations using Pointers
 - Example: String length

```
int Length(char *s)
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
        l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("Length of %s is %d\n",
       s1, Length(&s1[0]));
printf("Length of %s is %d\n",
       s2, Length(&s2[0]));

Length of ABC is 3
Length of Hello World! is 12
```

EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

14

Pointers

- String Operations using Pointers

- Example: String length

```
int Length(char *s)
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
        l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("Length of %s is %d\n",
       s1, Length(&s1[0]));
printf("Length of %s is %d\n",
       s2, Length(s2));

Length of ABC is 3
Length of Hello World! is 12
```

- Array and pointer types are equivalent

- $\mathbf{s2}$ is an array, but can be passed as a pointer argument
 - Character array $\mathbf{s2}$ is same as character pointer $\&\mathbf{s2}[0]$

Pointers

- String Operations using Pointers

- Example: String length

```
int Length(char *s)
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
        l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char *s2 = "Hello World!";

printf("Length of %s is %d\n",
       s1, Length(s1));
printf("Length of %s is %d\n",
       s2, Length(s2));

Length of ABC is 3
Length of Hello World! is 12
```

- Array and pointer types are equivalent

- $\mathbf{s1}$ is an array of characters, $\mathbf{s2}$ is a pointer to character
 - Both $\mathbf{s1}$ and $\mathbf{s2}$ can be passed to character pointer \mathbf{s}

Pointers

- String Operations using Pointers

- Example: String length

```
int Length(char s[])
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
        l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char *s2 = "Hello World!";

printf("Length of %s is %d\n",
       s1, Length(s1));
printf("Length of %s is %d\n",
       s2, Length(s2));
```

```
Length of ABC is 3
Length of Hello World! is 12
```

- Array and pointer types are equivalent

- **s1** is an array of characters, **s2** is a pointer to character
- Both **s1** and **s2** can be passed to character array **s**

Pointers

- String Operations using Pointers

- Example: String copy

```
void Copy(
    char *Dst,
    char *Src)
{
    do{
        *Dst = *Src;
        Dst++;
    } while(*Src++);
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("s1 is %s, s2 is %s\n",
       s1, s2);
Copy(s2, s1);
printf("s1 is %s, s2 is %s\n",
       s1, s2);
```

```
s1 is ABC, s2 is Hello World!
s1 is ABC, s2 is ABC
```

- Passing pointers as arguments to functions

- Function can modify caller data by pointer dereferencing
- **Passing pointers = Pass by reference!**

Pointers

- String Operations using Pointers

- Example: String copy

```
void Copy(
    char *Dst,
    const char *Src)
{
    do{
        *Dst = *Src;
        Dst++;
    } while(*Src++);
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("s1 is %s, s2 is %s\n",
       s1, s2);
Copy(s2, s1);
printf("s1 is %s, s2 is %s\n",
       s1, s2);
```

```
s1 is ABC, s2 is Hello World!
s1 is ABC, s2 is ABC
```

- Passing pointers as arguments to functions

- Function can modify caller data by pointer dereferencing
 - Type qualifier **const**:
Modification by pointer derefencing *not allowed!*

EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

19

Pointers

- String Operations using Pointers

- Example: String copy

```
void Copy(
    const char *Dst,
    const char *Src)
{
    do{
        *Dst = *Src;
        Dst++;
    } while(*Src++);
}
```

Error!
Write access to
const data!

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("s1 is %s, s2 is %s\n",
       s1, s2);
Copy(s2, s1);
printf("s1 is %s, s2 is %s\n",
       s1, s2);
```

```
s1 is ABC, s2 is Hello World!
s1 is ABC, s2 is ABC
```

- Passing pointers as arguments to functions

- Function can modify caller data by pointer dereferencing
 - Type qualifier **const**:
Modification by pointer derefencing *not allowed!*

EECS10: Computational Methods in ECE, Lecture 22

(c) 2007 R. Doemer

20

Standard Library Functions

- Functions declared in **string.h** (part 1/2)
 - `typedef unsigned int size_t;`
 - type definition for length of strings
 - `size_t strlen(const char *s);`
 - returns the length of string **s**
 - `int strcmp(const char *s1, const char *s2);`
 - alphabetically compares string **s1** with string **s2**
 - returns -1 / 0 / 1 for less-than / equal-to / greater-than
 - `int strncmp(const char *s1, const char *s2, size_t n);`
 - same as previous, but compares maximal **n** characters
 - `int strcasecmp(const char *s1, const char *s2);`
 - `int strncasecmp(const char *s1, const char *s2, size_t n);`
 - same as string comparisons above, but case-insensitive

Standard Library Functions

- Functions declared in **string.h** (part 2/2)
 - `char *strcpy(char *s1, const char *s2);`
 - copies string **s2** into string **s1**
 - `char *strncpy(char *s1, const char *s2, size_t n);`
 - copies maximal **n** characters of string **s2** into string **s1**
 - `char *strcat(char *s1, const char *s2);`
 - concatenates string **s2** to string **s1**
 - `char *strncat(char *s1, const char *s2, size_t n);`
 - concatenates maximal **n** characters of string **s2** to string **s1**
 - `char *strchr(const char *s, int c);`
 - returns a pointer to the first character **c** in string **s**, or **NULL** if not found
 - `char * strrchr(const char *s, int c);`
 - returns a pointer to the last character **c** in string **s**, or **NULL** if not found
 - `char * strstr(const char *s1, const char *s2);`
 - returns a pointer to the first appearance of **s2** in string **s1** (or **NULL**)