

EECS 10: Computational Methods in Electrical and Computer Engineering

Lecture 7

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Lecture 7: Overview

- Warm-up Quiz
- Comparison of Values
 - Relational Operators
 - Logical Operators
 - Conditional Operator
- Conditional Statements
 - `if` statement
- Conditional Programming
 - Example `Comparison.c`

Quiz: Question 11

- What is the value of the integer **x** after the following statement?

```
x = 3 << 2 >> 1;
```

- a) Syntax Error!
- b) 321
- c) 4
- d) 6
- e) 12

Quiz: Question 11

- What is the value of the integer **x** after the following statement?

```
x = 3 << 2 >> 1;
```

- a) Syntax Error!
- b) 321
- c) 4
-  d) 6
- e) 12

Quiz: Question 12

- Which of the following constants is of type **double**?
(Check all that apply!)
 - 42
 - 4.2
 - 4e2
 - 4E2
 - 42f

Quiz: Question 12

- Which of the following constants is of type **double**?
(Check all that apply!)
 - 42
 - 4.2
 - 4e2
 - 4E2
 - 42f

Quiz: Question 13

- What is the result type of the following expression?

```
1 - 2.3 * (4.5f / 67L) - (short int)89
```

- a) `short int`
- b) `int`
- c) `long int`
- d) `float`
- e) `double`

Quiz: Question 13

- What is the result type of the following expression?

```
1 - 2.3 * (4.5f / 67L) - (short int)89
```

- a) `short int`
- b) `int`
- c) `long int`
- d) `float`
- e) `double`



Quiz: Question 14

- What is the value of **x** after the following code segment?

```
int    i = 10;
double d = 0.5;
int    x;

x = i/3.0 + d;
```

- a) 3.333333
- b) 3
- c) 3.833333
- d) 0.333333
- e) 3.5

Quiz: Question 14

- What is the value of **x** after the following code segment?

```
int    i = 10;
double d = 0.5;
int    x;

x = i/3.0 + d;
```

- a) 3.333333
-  b) 3
- c) 3.833333
- d) 0.333333
- e) 3.5

Quiz: Question 15

- Given the following code fragment,

```
double x;  
double y;  
  
x = (int)(y + 0.5);
```

which of the following statements is true?
(Check all that apply!)

- a) for $y=3.0$, x is set to 3.5
- b) for $y=3.0$, x is set to 3.0
- c) for $y=3.5$, x is set to 4.0
- d) for $y=3.9$, x is set to 3.0
- e) for $y=3.9$, x is set to 4.0

Quiz: Question 15

- Given the following code fragment,

```
double x;  
double y;  
  
x = (int)(y + 0.5);
```

which of the following statements is true?
(Check all that apply!)

- a) for $y=3.0$, x is set to 3.5
-  b) for $y=3.0$, x is set to 3.0
-  c) for $y=3.5$, x is set to 4.0
- d) for $y=3.9$, x is set to 3.0
-  e) for $y=3.9$, x is set to 4.0

Comparison of Values

- Relational Operators
 - direct comparison of two values
 - Boolean result: truth value, true or false
- Logical Operators
 - Operations on Boolean values
- Conditional Operator
 - Conditional evaluation of expressions

Relational Operators

- Comparison operations
 - < less than
 - > greater than
 - <= less than or equal to
 - >= greater than or equal to
 - == equal to (remember, = means assignment!)
 - != not equal to
- Comparison is defined for all basic types
 - integer (e.g. 5 < 6)
 - floating point (e.g. 7.0 < 7e1)
- Result type is Boolean, but represented as integer
 - false 0
 - true 1 (or any other value *not* equal to zero)

Logical Operators

- Operation on Boolean/truth values

- `!` “not” logical negation
- `&&` “and” logical and
- `||` “or” logical or

- Truth table:

x	y	<code>!x</code>	<code>x && y</code>	<code>x y</code>
0	0	1	0	0
0	1	1	0	1
1	0	0	0	1
1	1	0	1	1

- Argument and result types are Boolean, but represented as integer
 - false 0
 - true 1 (or any other value *not* equal to zero)

Conditional Operator

- Conditional evaluation of values in expressions
- Question-mark operator:
`test ? true-value : false-value`
 - evaluates the `test`
 - if `test` is true, then the result is `true-value`
 - otherwise, the result is `false-value`
- Examples:
 - `(4 < 5) ? (42) : (4+8)` evaluates to 42
 - `(2==1+2) ? (x) : (y)` evaluates to `y`
 - `(x < 0) ? (-x) : (x)` evaluates to `abs(x)`

Operator Evaluation Order

- Associativity: left to right or right to left
- Precedence: group-wise, top to bottom

– parentheses	(,)	n/a
– unary plus, minus, negation	+, -, !	right to left
– type casting	(<i>typename</i>)	right to left
– multiplication, division, modulo	*, /, %	left to right
– addition, subtraction	+, -	left to right
– shift left, shift right	<<, >>	left to right
– relational operators	<, <=, >=, >	left to right
– equality	==, !=	left to right
– logical and	&&	left to right
– logical or		left to right
– conditional operator	? :	left to right
– assignment operator	=	right to left

Conditional Statements

- **if** statement

- Control flow statement for decision making
 - Changes control flow depending on a specified condition
- Example:

```

• if (x < 0)
    { printf("%d is negative", x); }
• if (x >= 0)
    { printf("%d is positive", x); }
```

- Syntax: **if** construct consists of
 - Keyword **if**
 - Condition expression evaluated to true or false
 - Body statement block
- Semantics:
 - Body is executed *only if* the condition evaluates to true

Example Program

- Comparison of values: **Comparison.c** (part 1/3)

```
/* Comparison.c: arithmetic comparisons      */
/*                                              */
/* author: Rainer Doemer                      */
/*                                              */
/* modifications:                             */
/* 10/07/04 RD initial version               */

#include <stdio.h>

/* main function */

int main(void)
{
    /* variable definitions */
    int a, b;

    ...
}
```

Example Program

- Comparison of values: **Comparison.c** (part 2/3)

```
...
/* input section */
printf("Please enter a value for integer a: ");
scanf("%d", &a);
printf("Please enter a value for integer b: ");
scanf("%d", &b);

/* computation and output section */
if (a == b)
    { printf("%d is equal to %d.\n", a, b);
    } /* fi */
if (a != b)
    { printf("%d is not equal to %d.\n", a, b);
    } /* fi */
if (a < b)
    { printf("%d is less than %d.\n", a, b);
    } /* fi */
...
```

Example Program

- Comparison of values: **Comparison.c** (part 3/3)

```
...
if (a > b)
{ printf("%d is greater than %d.\n", a, b);
} /* fi */
if (a <= b)
{ printf("%d is less than or equal to %d.\n", a, b);
} /* fi */
if (a >= b)
{ printf("%d is greater than or equal to %d.\n", a, b);
} /* fi */

/* exit */
return 0;
} /* end of main */

/* EOF */
```

Example Program

- Example session: **Comparison.c**

```
% vi Comparison.c
% gcc -Wall -ansi Comparison.c -o Comparison
% Comparison
Please enter a value for integer a: 42
Please enter a value for integer b: 56
42 is not equal to 56.
42 is less than 56.
42 is less than or equal to 56.
% Comparison
Please enter a value for integer a: 6
Please enter a value for integer b: 6
6 is equal to 6.
6 is less than or equal to 6.
6 is greater than or equal to 6.
% Comparison
Please enter a value for integer a: 77
Please enter a value for integer b: 6
77 is not equal to 6.
%
```