

EECS 10: Computational Methods in Electrical and Computer Engineering

Quiz on Lectures 19-25

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 5: Question 6 (76.3% incorrect answers)
- In the program below, what is the result of calling `grade(75)`?

- a) `'A'`
- b) `'B'`
- c) `'C'`
- d) `'D'`
- e) `'F'`

```
1 char grade(int x)
2 { char g;
3   if (x > 90)
4     { g = 'A'; }
5   if (x > 80)
6     { g = 'B'; }
7   if (x > 70)
8     { g = 'C'; }
9   if (x > 60)
10    { g = 'D'; }
11  else
12    { g = 'F'; }
13  return g;
14 }
```

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 5: Question 6 (76.3% incorrect answers)
- In the program below, what is the result of calling `grade(75)`?

- a) 'A'
- b) 'B'
- c) 'C'
-  d) 'D'
- e) 'F'

```

1 char grade(int x)
2 { char g;
3   if (x > 90)
4     { g = 'A'; }
5   if (x > 80)
6     { g = 'B'; }
7   if (x > 70)
8     { g = 'C'; }
9   if (x > 60)
10    { g = 'D'; }
11  else
12    { g = 'F'; }
13  return g;
14 }
```

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

3

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Follow-up Question 8 (16.9% wrong answers!)
- Let's revise the program. If you replace each `if` in lines 5, 7 and 9 with `else if` (and adjust the indentation), what is the result then when calling `grade(75)`?

- a) 'A'
- b) 'B'
- c) 'C'
- d) 'D'
- e) 'F'

```

1 char grade(int x)
2 { char g;
3   if (x > 90)
4     { g = 'A'; }
5   if (x > 80)
6     { g = 'B'; }
7   if (x > 70)
8     { g = 'C'; }
9   if (x > 60)
10    { g = 'D'; }
11  else
12    { g = 'F'; }
13  return g;
14 }
```

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

4

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Follow-up Question 8 (16.9% wrong answers!)
- Let’s revise the program. If you replace each `if` in lines 5, 7 and 9 with `else if` (and adjust the indentation), what is the result then when calling `grade(75)`?

- a) `'A'`
- b) `'B'`
-  c) `'C'`
- d) `'D'`
- e) `'F'`

```

1 char grade(int x)
2 { char g;
3   if (x > 90)
4     { g = 'A'; }
5   if (x > 80)
6     { g = 'B'; }
7   if (x > 70)
8     { g = 'C'; }
9   if (x > 60)
10    { g = 'D'; }
11  else
12    { g = 'F'; }
13  return g;
14 }
```

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

5

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 4: Question 9 (78.0% incorrect answers)
- Which of the following C program fragments is equivalent to the following loop? (Check all that apply! 2 pts.)

```
for(Box1; Box2; Box3)
{ Box4; }
```

- a)

```
Box1;
while(Box2)
{ Box4; Box3; }
```
- b)

```
Box1;
while(Box2)
{ Box3; Box4; }
```
- c)

```
Box2;
while(Box1)
{ Box4; Box3; }
```
- d)

```
while(Box1)
{ Box2; Box3; Box4; }
```
- e)

```
while(Box2)
{ Box1; Box4; Box3; }
```

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

6

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 4: Question 9 (78.0% incorrect answers)
- Which of the following C program fragments is equivalent to the following loop? (Check all that apply! 2 pts.)

```
for(Box1; Box2; Box3)
{ Box4; }
```



a)

```
Box1;
while(Box2)
{ Box4; Box3; }
```

b)

```
Box1;
while(Box2)
{ Box3; Box4; }
```

c)

```
Box2;
while(Box1)
{ Box4; Box3; }
```

d)

```
while(Box1)
{ Box2; Box3; Box4; }
```

e)

```
while(Box2)
{ Box1; Box4; Box3; }
```

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

7

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 3: Question 21 (82.2% incorrect answers)
- Which of the following are correct definitions of a string `s` that is initialized with the first three letters of the alphabet? (Check all that apply!)

a) `char s[4] = {'A', 'B', 'C'};`

b) `char s[4] = {"A", "B", "C"};`

c) `char s[3] = {'A', 'B', 'C'};`

d) `char s[] = "ABC";`

e) `char s[] = 'ABC';`

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

8

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 3: Question 21 (82.2% incorrect answers)
- Which of the following are correct definitions of a string `s` that is initialized with the first three letters of the alphabet?
(Check all that apply!)

- a) `char s[4] = {'A', 'B', 'C'};`
- b) `char s[4] = {"A", "B", "C"};`
- c) `char s[3] = {'A', 'B', 'C'};`
- d) `char s[] = "ABC";`
- e) `char s[] = 'ABC';`

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 2: Question 2 (83.1% incorrect answers)
- Which of the following control flow statements supports the `break` statement?
(Check all that apply! 2 pts.)

- a) `for`
- b) `while`
- c) `switch`
- d) `if`
- e) `else`

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 2: Question 2 (83.1% incorrect answers)
- Which of the following control flow statements supports the `break` statement? (Check all that apply! 2 pts.)

- a) `for`
- b) `while`
- c) `switch`
- d) `if`
- e) `else`

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 1: Question 4 (84.7% incorrect answers)
- In the `gdb` debugger, which commands support you in navigating stack frames? (Check all that apply! 2 pts.)

- a) `where`
- b) `break`
- c) `down`
- d) `right`
- e) `step`

Midterm 2 Review Quiz

- Top 5 most “difficult” questions:
 - Rank 1: Question 4 (84.7% incorrect answers)
- In the `gdb` debugger, which commands support you in navigating stack frames? (Check all that apply! 2 pts.)

- a) `where`
- b) `break`
- c) `down`
- d) `right`
- e) `step`

Quiz: Question 1

- In the program below, what is printed by the function call `g(1)`?

- a) 1 2
- b) 2 3
- c) 1 1
- d) 2
- e) 1

```
1 int f(int x)
2 { printf("%d ", x);
3   return x + 1;
4 }
5 int g(int x)
6 { printf("%d ", f(x));
7   return x + 2;
8 }
```

Quiz: Question 1

- In the program below, what is printed by the function call `g(1)`?

- a) 1 2
- b) 2 3
- c) 1 1
- d) 2
- e) 1

```
1 int f(int x)
2 { printf("%d ", x);
3   return x + 1;
4 }
5 int g(int x)
6 { printf("%d ", f(x));
7   return x + 2;
8 }
```

Quiz: Question 2

- What is recursion?
(Check all that apply!)
- a) A function that does not terminate.
 - b) A function that calls itself.
 - c) A function that contains a loop.
 - d) A function f that calls a function g which calls f .
 - e) A function that returns no value.

Quiz: Question 2

- What is recursion?
(Check all that apply!)
 - a) A function that does not terminate.
 - b) A function that calls itself.
 - c) A function that contains a loop.
 - d) A function f that calls a function g which calls f .
 - e) A function that returns no value.

Quiz: Question 3

- Given the function definition below, what is printed for the function call $f(3)$?

- a) 1 2 3
- b) 1 2 3 4
- c) 3 2 1 0
- d) 4 3 2 1
- e) 3 2 1

```

1 void f(int x)
2 {
3     printf("%d ", x);
4     if (x > 0)
5         { f(x-1); }
6 }
```

Quiz: Question 3

- Given the function definition below, what is printed for the function call $f(3)$?

- a) 1 2 3
 b) 1 2 3 4
 c) 3 2 1 0
 d) 4 3 2 1
 e) 3 2 1

```

1 void f(int x)
2 {
3     printf("%d ", x);
4     if (x > 0)
5         { f(x-1); }
6 }
  
```

Quiz: Question 4

- Given the following definition of the vectors v_1 , v_2 and v_3 , what is a correct way to perform a vector addition of v_1 and v_2 ?

```
struct v {int x, y;} v1, v2, v3;
```

- a) $v_3 = v_1 + v_2;$
 b) $v_3 = v_1[x]*v_2[y] + v_1[y]*v_2[x]$
 c) $v_3[0] = v_1[0] + v_2[0];$
 $v_3[1] = v_1[1] + v_2[1];$
 d) $v_3.x = v_1.x + v_2.x;$
 $v_3.y = v_1.y + v_2.y;$
 e) $v_3->x = v_1->x + v_2->x;$
 $v_3->y = v_1->y + v_2->y;$

Quiz: Question 4

- Given the following definition of the vectors $\mathbf{v1}$, $\mathbf{v2}$ and $\mathbf{v3}$, what is a correct way to perform a vector addition of $\mathbf{v1}$ and $\mathbf{v2}$?

```
struct v {int x, y;} v1, v2, v3;
```

- a) $\mathbf{v3} = \mathbf{v1} + \mathbf{v2};$
- b) $\mathbf{v3} = \mathbf{v1}[\mathbf{x}] * \mathbf{v2}[\mathbf{y}] + \mathbf{v1}[\mathbf{y}] * \mathbf{v2}[\mathbf{x}]$
- c) $\mathbf{v3}[0] = \mathbf{v1}[0] + \mathbf{v2}[0];$
 $\mathbf{v3}[1] = \mathbf{v1}[1] + \mathbf{v2}[1];$
-  d) $\mathbf{v3.x} = \mathbf{v1.x} + \mathbf{v2.x};$
 $\mathbf{v3.y} = \mathbf{v1.y} + \mathbf{v2.y};$
- e) $\mathbf{v3->x} = \mathbf{v1->x} + \mathbf{v2->x};$
 $\mathbf{v3->y} = \mathbf{v1->y} + \mathbf{v2->y};$

Quiz: Question 5

- Given the following enumerator definition, what is printed by `printf("%d", two);`?

```
enum count {one, two, three, four = 4};
```

- a) one
- b) two
- c) three
- d) 1
- e) 2

Quiz: Question 5

- Given the following enumerator definition, what is printed by `printf("%d", two);`?

```
enum count {one, two, three, four = 4};
```

- a) one
- b) two
- c) three
- d) 1
- e) 2

Quiz: Question 6

- Which of the following components do you find in every computer?
(Check all that apply!)

- a) ROM
- b) RUM
- c) BUG
- d) CPU
- e) IBM

Quiz: Question 6

- Which of the following components do you find in every computer?
(Check all that apply!)

- a) ROM
- b) RUM
- c) BUG
- d) CPU
- e) IBM

Quiz: Question 7

- What is the decimal value of the (unsigned) binary number 01010101_2 ?

- a) 01010101
- b) 85
- c) 101
- d) 170
- e) 255

Quiz: Question 7

- What is the decimal value of the (unsigned) binary number 01010101_2 ?

a) 01010101

 b) 85

c) 101

d) 170

e) 255

Quiz: Question 8

- What is the binary value of the hexadecimal number FF_{16} ?

a) 01010101

b) 10001000

c) 01110111

d) 00010001

e) 11111111

Quiz: Question 8

- What is the binary value of the hexadecimal number FF_{16} ?

a) 01010101

b) 10001000

c) 01110111

d) 00010001

 e) 11111111

Quiz: Question 9

- How many bits do you need to represent one hexadecimal digit?

a) 1

b) 2

c) 4

d) 8

e) 16

Quiz: Question 9

- How many bits do you need to represent one hexadecimal digit?
- a) 1
b) 2
 c) 4
d) 8
e) 16

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

31

Quiz: Question 10

- What could cause a **bus error**?
(Check all that apply!)
- a) Waking up late and missing the bus.
b) Calling a recursive function.
c) Accessing an array with an index out of range.
d) Referencing a pointer variable with invalid value.
e) Accessing an integer variable with invalid value.

EECS10: Computational Methods in ECE, Quiz 19-25

(c) 2008 R. Doemer

32

Quiz: Question 10

- What could cause a **bus error**?
(Check all that apply!)
 - a) Waking up late and missing the bus.
 - b) Calling a recursive function.
 - c) Accessing an array with an index out of range.
 - d) Referencing a pointer variable with invalid value.
 - e) Accessing an integer variable with invalid value.

Quiz: Question 11

- In C, which properties does every object have?
(Check all that apply!)
 - a) A size.
 - b) A value.
 - c) A weight.
 - d) A type.
 - e) A location.

Quiz: Question 11

- In C, which properties does every object have?
(Check all that apply!)

- a) A size.
- b) A value.
- c) A weight.
- d) A type.
- e) A location.

Quiz: Question 12

- Given the program segment below, what is the value of `*p` at the end?

- a) 1
- b) 2
- c) 3
- d) 4
- e) 5

```
1 int x[] = {1,2,3,4,5};  
2 int *p = &x[2];  
3  
4 p++;  
5 p -= 2;
```

Quiz: Question 12

- Given the program segment below, what is the value of `*p` at the end?

- a) 1
- b) 2
- c) 3
- d) 4
- e) 5

```

1 int x[] = {1,2,3,4,5};
2 int *p = &x[2];
3
4 p++;
5 p -= 2;

```

Quiz: Question 13

- Given the function and variable definitions shown below, which function call is valid? (Check all that apply!)

- a) `StrLen(cp);`
- b) `StrLen(ca);`
- c) `StrLen(c);`
- d) `StrLen(i);`
- e) `StrLen("abc");`

```

1 int StrLen(char *s)
2 { int l = 0;
3
4     while(*s)
5     { s++;
6       l++;
7     }
8     return l;
9 }
10 char *cp = "hello";
11 char ca[] = "world";
12 char c = 'c';
13 int i = 42;

```

Quiz: Question 13

- Given the function and variable definitions shown below, which function call is valid? (Check all that apply!)

- a) `StrLen(cp);`
- b) `StrLen(ca);`
- c) `StrLen(c);`
- d) `StrLen(i);`
- e) `StrLen("abc");`

```

1 int StrLen(char *s)
2 { int l = 0;
3
4     while(*s)
5     { s++;
6       l++;
7     }
8     return l;
9 }
10 char *cp = "hello";
11 char ca[] = "world";
12 char c = 'c';
13 int i = 42;

```

Quiz: Question 14

- Which of the following are functions declared in `stdio.h`? (Check all that apply!)

- a) `printf`
- b) `printd`
- c) `fprintf`
- d) `sprint`
- e) `fputs`

Quiz: Question 14

- Which of the following are functions declared in `stdio.h`?
(Check all that apply!)

- a) `printf`
- b) `printfd`
- c) `fprintf`
- d) `sprint`
- e) `fputs`

Quiz: Question 15

- What does the following code segment print?

```

1 char s[] = "Hppe!Mvdl!boe!Ibqqz!Ipmjebzt";
2 char *p;
3 p = &s[0];
4 while(*p)
5 { printf("%c", *p - 1);
6   p++;
7 }

```

- a) `Hppe!Mvdl!boe!Ibqqz!Ipmjebzt`
- b) `Happy Holidays and Good Luck`
- c) `Happy Luck and Good Holidays`
- d) `Good Holidays and Happy Luck`
- e) `Good Luck and Happy Holidays`

Quiz: Question 15

- What does the following code segment print?

```
1 char s[] = "Hppe!Mvdl!boe!Ibqqz!Ipmjebzt";
2 char *p;
3 p = &s[0];
4 while(*p)
5 { printf("%c", *p - 1);
6   p++;
7 }
```

- a) Hppe!Mvdl!boe!Ibqqz!Ipmjebzt
- b) Happy Holidays and Good Luck
- c) Happy Luck and Good Holidays
- d) Good Holidays and Happy Luck
-  e) Good Luck and Happy Holidays