

Chapter 11: File System Implementation



Chapter 11: File System Implementation

- File-System Structure
- File-System Implementation
- Directory Implementation
- Allocation Methods
- Free-Space Management
- Efficiency and Performance
- Recovery
- Log-Structured File Systems
- NFS
- Example: WAFL File System

(slides selected/reordered/fixd by R. Doemer, 02/17/09)






File-System Structure

- File structure
 - Logical storage unit
 - Collection of related information
- File system resides on secondary storage (disks)
- File system organized into layers
- **File control block** – storage structure consisting of information about a file



Layered File System






A Typical File Control Block

file permissions
file dates (create, access, write)
file owner, group, ACL
file size
file data blocks or pointers to file data blocks




In-Memory File System Structures

- The following figure illustrates the necessary file system structures provided by the operating system.



(a) Opening a file.



(a) Reading a file.

(slides combined/fixd by R. Doemer, 02/17/09)






Virtual File Systems

- Virtual File Systems (VFS) provide an object-oriented way of implementing file systems.
- VFS allows the same system call interface (the API) to be used for different types of file systems.
- The API is to the VFS interface, rather than any specific type of file system.



Schematic View of Virtual File System





Directory Implementation

- **Linear list** of file names with pointer to the data blocks.
 - simple to program
 - time-consuming to execute

- **Hash Table** – linear list with hash data structure.
 - decreases directory search time
 - **collisions** – situations where two file names hash to the same location
 - fixed size



Allocation Methods

- An allocation method refers to how disk blocks are allocated for files:

- **Contiguous allocation**

- **Linked allocation**

- **Indexed allocation**






Contiguous Allocation

- Each file occupies a set of contiguous blocks on the disk
- Simple – only starting location (block #) and length (number of blocks) are required
- Random access
- Wasteful of space (dynamic storage-allocation problem)
- Files cannot grow



Contiguous Allocation of Disk Space



directory


file	start	length
count	0	2
tr	14	3
mail	19	6
list	28	4
f	6	2





Contiguous Allocation

- Mapping from logical to physical block number



Block to be accessed = $Q + \text{starting address}$
Displacement into block = R

(slide fixed by R. Doemer, 02/17/09)



Extent-Based Systems


- Many newer file systems (I.e. Veritas File System) use a modified contiguous allocation scheme
- Extent-based file systems allocate disk blocks in **extents**
- An **extent** is a contiguous block of disks
 - Extents are allocated for file allocation
 - A file consists of one or more extents.





Linked Allocation


- Each file is a linked list of disk blocks: blocks may be scattered anywhere on the disk.



(slide fixed by R. Doemer, 02/17/09)



Linked Allocation




(slide fixed by R. Doemer, 02/17/09)





Linked Allocation (Cont.)

- Simple – need only starting address
- Free-space management system – no waste of space
- No random access
- Mapping



Block to be accessed is the Qth block in the linked chain of blocks representing the file.
Displacement into block = $R + 1$




(slide fixed by R. Doemer, 02/17/09)



File-Allocation Table

File-allocation table (FAT) –
disk-space allocation used by MS-DOS and OS/2.




(slide fixed by R. Doemer, 02/17/09)




Indexed Allocation

- Brings all pointers together into the *index block*.
- Logical view.




Example of Indexed Allocation





Indexed Allocation (Cont.)

- Need index table
- Random access
- Dynamic access without external fragmentation, but have overhead of index block.
- Mapping from logical to physical in a file of maximum size of 256K words and block size of 512 words. We need only 1 block for index table.




Q = displacement into index table
R = displacement into block




Indexed Allocation – Mapping (Cont.)

- Mapping from logical to physical in a file of unbounded length (block size of 512 words).
- Linked scheme – Link blocks of index table (no limit on size).



Q_1 = block of index table
 R_1 is used as follows:



Q_2 = displacement into block of index table
 R_2 displacement into block of file:





Indexed Allocation – Mapping (Cont.)

- Two-level index (maximum file size is 512^3)

$$LA / (512 \times 512) \begin{cases} Q_1 \\ R_1 \end{cases}$$


Q_1 = displacement into outer-index
 R_1 is used as follows:

$$R_1 / 512 \begin{cases} Q_2 \\ R_2 \end{cases}$$

Q_2 = displacement into block of index table
 R_2 displacement into block of file:



Indexed Allocation – Mapping (Cont.)





Combined Scheme: UNIX (4K bytes per block)

