

# EECS 22: Advanced C Programming

## Lecture 12

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering  
Electrical Engineering and Computer Science  
University of California, Irvine

## Lecture 12: Overview

- Data Structures
  - Review: Memory organization
  - Objects in memory
  - Pointers
- Dynamic Data Structures
  - Dynamic memory allocation
  - Example: Student records
- Validating dynamic memory usage
  - `valgrind`, a memory error checker

## Review: Memory Organization

- Memory Segmentation
  - typical (virtual) memory layout on processor with 4-byte words and 4 GB of memory
  - Stack
    - grows and shrinks dynamically (from top)
    - contains function call hierarchy
    - stores stack frames with local variables
  - Heap
    - “free” storage
    - dynamic allocation by the program
  - Data segment
    - global (`static`) variables
  - Program segment
    - stores program text (binary code)
  - Reserved area for operating system

ffff fffc

0

EECS22: Advanced C Programming, Lecture 12 (c) 2012 R. Doemer 3

## Objects in Memory

- Data in memory is organized as a set of objects
- Every object has ...
  - ... a *type* (e.g. `int`, `double`, `char[5]`)
    - type is known to the compiler at compile time
  - ... a *value* (e.g. `42`, `3.1415`, `"text"`)
    - value is used for computation of expressions
  - ... a *size* (number of bytes in the memory)
    - in C, the `sizeof` operator returns the size of a variable or type
  - ... a *location* (address in the memory)
    - in C, the “address-of” operator (`&`) returns the address of an object
- Variables ...
  - ... serve as identifiers for objects
  - ... are bound to objects
  - ... give objects a name

EECS22: Advanced C Programming, Lecture 12 (c) 2012 R. Doemer 4

## Objects in Memory

- Example: Variable values, addresses, and sizes

```
int x = 42;
int y = 13;
char s[] = "Hello World!";

printf("Value of x is %d.\n", x);
printf("Address of x is %p.\n", &x);
printf("Size of x is %u.\n", sizeof(x));
printf("Value of y is %d.\n", y);
printf("Address of y is %p.\n", &y);
printf("Size of y is %u.\n", sizeof(y));
printf("Value of s is %s.\n", s);
printf("Address of s is %p.\n", &s);
printf("Size of s is %u.\n", sizeof(s));
printf("Value of s[1] is %c.\n", s[1]);
printf("Address of s[1] is %p.\n", &s[1]);
printf("Size of s[1] is %u.\n", sizeof(s[1]));
```

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer


5

## Objects in Memory

- Example: Variable values, addresses, and sizes

```
int x = 42;
int y = 13;
char s[] = "Hello World!";
...
```

```
Value of x is 42.
Address of x is ffbefa4c.
Size of x is 4.
Value of y is 13.
Address of y is ffbefa48.
Size of y is 4.
Value of s is Hello World!.
Address of s is ffbefa38.
Size of s is 13.
Value of s[1] is e.
Address of s[1] is ffbefa39.
Size of s[1] is 1.
```



EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

6

## Objects in Memory

- Example: Size and alignment on Linux servers
- 32-bit architecture ( $2^{32}$ = 4 GB):
- 64-bit architecture ( $2^{64}$ = 16 EB)  
e.g. ladera.eecs.uci.edu:

Type	Size	Alignment	Type	Size	Alignment
bool	1	1	bool	1	1
char	1	1	char	1	1
short	2	2	short	2	2
int	4	4	int	4	4
long	4	4	long	8	8
long long	8	4	long long	8	8
float	4	4	float	4	4
double	8	4	double	8	8
long double	12	4	long double	16	16
void*	4	4	void*	8	8

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

7

## Pointers

- *Pointers* are variables whose values are *addresses*
  - The “address-of” operator (&) returns a pointer!
- Pointer Definition
  - The unary \* operator indicates a pointer type in a definition

```
int x = 42; /* regular integer variable */
int *p;    /* pointer to an integer */
```

- Pointer initialization or assignment
  - A pointer may be set to the “address-of” another variable
  - A pointer may be set to 0 (points to no object)
  - A pointer may be set to **NULL** (points to “NULL” object)

```
p = &x; /* p points to x */
```

```
p = 0; /* p points to no object */
```

```
#include <stdio.h> /* defines NULL as 0 */
p = NULL; /* p points to no object */
```

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

8

## Pointers

- Pointer Dereferencing
  - The unary \* operator dereferences a pointer to the value it points to (“content-of” operator)

```
#include <stdio.h>
int x = 42; /* regular integer variable */
int *p = NULL; /* pointer to an integer */
```



EECS22: Advanced C Programming, Lecture 12


(c) 2012 R. Doemer

9

## Pointers

- Pointer Dereferencing
  - The unary \* operator dereferences a pointer to the value it points to (“content-of” operator)

```
#include <stdio.h>
int x = 42; /* regular integer variable */
int *p = NULL; /* pointer to an integer */
p = &x; /* make p point to x */
```



EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

10

## Pointers


- Pointer Dereferencing
  - The unary \* operator dereferences a pointer to the value it points to (“content-of” operator)

```
#include <stdio.h>

int x = 42; /* regular integer variable */
int *p = NULL; /* pointer to an integer */

p = &x; /* make p point to x */
printf("x is %d, content of p is %d\n", x, *p);
```

```
x is 42, content of p is 42
```



EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

11

## Pointers


- Pointer Dereferencing
  - The unary \* operator dereferences a pointer to the value it points to (“content-of” operator)

```
#include <stdio.h>

int x = 42; /* regular integer variable */
int *p = NULL; /* pointer to an integer */

p = &x; /* make p point to x */
printf("x is %d, content of p is %d\n", x, *p);
*p = 2 * *p; /* multiply content of p by 2 */
printf("x is %d, content of p is %d\n", x, *p);
```

```
x is 42, content of p is 42
x is 84, content of p is 84
```



EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

12

## Pointers

- Pointer Dereferencing
  - The `->` operator dereferences a pointer to a structure to the content of a structure member

```


struct Student
{
    int ID;
    char Name[40];
    char Grade;
};

struct Student Jane =
{1001, "Jane Doe", 'A'};

struct Student *p = &Jane;

void PrintStudent(void)
{
    printf("ID:    %d\n", p->ID);
    printf("Name:  %s\n", p->Name);
    printf("Grade: %c\n", p->Grade);
}

```



```

ID:    1001
Name:  Jane Doe
Grade: A

```

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

13

## Dynamic Data Structures

- Static Data Structures
  - E.g. arrays, structures
  - Size (and type) known at compile time
  - Compiler automatically allocates memory (linker, loader)
    - Data segment (global/static variables)
    - Stack (local/automatic variables)
- Dynamic Data Structures
  - E.g. lists, trees, graphs
  - Size (and type) not known until run time
  - Programmer manually allocates memory (as needed)
    - Heap (dynamic objects)
  - *Dynamic Memory Allocation!*
    - Program explicitly allocates and de-allocates memory
    - Program explicitly performs memory management functions

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

14

## Dynamic Data Structures

- Dynamic Memory Allocation

```
#include <stdlib.h>
void *malloc(size_t size);
```

- Allocates `size` bytes of memory space on the heap
  - Allocated memory space is uninitialized
- Returns a pointer to the memory (address of first byte)
  - Return type is `void*`, meaning “pointer to unknown type”
  - Return value is `NULL` (0) if requested size could not be allocated

```
void free(void *p);
```

- De-allocates the memory at address `p`
  - Argument `p` must be a pointer to space allocated by `malloc()`
- Does nothing if `p` is `NULL`

➤ Advise:

- Always check return value of `malloc()`!
- Always use `malloc()` and `free()` in pairs!

## Dynamic Memory Allocation

- Example Student Records: `student.h`

```
/* Student.h: header file for student records */
#ifndef STUDENT_H
#define STUDENT_H

#define SLEN 40

struct Student
{
    int ID;
    char Name[SLEN+1];
    char Grade;
};
typedef struct Student STUDENT;

/* allocate a new student record */
STUDENT *NewStudent(int ID, char *Name, char Grade);

/* delete a student record */
void DeleteStudent(STUDENT *s);

/* print a student record */
void PrintStudent(STUDENT *s);

#endif /* STUDENT_H */
```



## Dynamic Memory Allocation

- Example Student Records: `student.c` (part 1/3)

```

/* Student.c: maintaining student records */
#include "Student.h"
#include <stdlib.h>
#include <stdio.h>
#include <string.h>
#include <assert.h>

/* allocate a new student record */
STUDENT *NewStudent(int ID, char *Name, char Grade)
{
    STUDENT *s;
    s = malloc(sizeof(STUDENT));
    if (!s)
    {
        perror("Out of memory! Aborting...");
        exit(10);
    } /* fi */
    s->ID = ID;
    strncpy(s->Name, Name, SLEN);
    s->Name[SLEN] = '\0';
    s->Grade = Grade;
    return s;
} /* end of NewStudent */
...

```

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

17

## Dynamic Memory Allocation

- Example Student Records: `student.c` (part 2/3)

```

...

/* delete a student record */
void DeleteStudent(STUDENT *s)
{
    assert(s);
    free(s);
} /* end of DeleteStudent */

/* print a student record */
void PrintStudent(STUDENT *s)
{
    assert(s);
    printf("Student ID:    %d\n", s->ID);
    printf("Student Name:  %s\n", s->Name);
    printf("Student Grade: %c\n", s->Grade);
} /* end of PrintStudent */

...

```

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

18

## Dynamic Memory Allocation

- Example Student Records: `student.c` (part 3/3)

```

...
/* test the student record functions */
int main(void)
{
    STUDENT *s1 = NULL, *s2 = NULL;
    printf("Creating 2 student records...\n");
    s1 = NewStudent(1001, "Jane Doe", 'A');
    s2 = NewStudent(1002, "John Doe", 'C');

    printf("Printing the student records...\n");
    PrintStudent(s1);
    PrintStudent(s2);

    printf("Deleting the student records...\n");
    DeleteStudent(s1);
    s1 = NULL;
    DeleteStudent(s2);
    s2 = NULL;

    printf("Done.\n");
    return 0;
} /* end of main */

/* EOF */

```

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

19

## Dynamic Memory Allocation

- Example Student Records: `Makefile`

```

# Makefile: Student Records

# macro definitions
CC = gcc
DEBUG = -g
#DEBUG = -O2
CFLAGS = -Wall -ansi $(DEBUG) -c
LFLAGS = -Wall $(DEBUG)

# dummy targets
all: Student

clean:
    rm -f *.o
    rm -f Student

# compilation rules
Student.o: Student.c Student.h
    $(CC) $(CFLAGS) Student.c -o Student.o

Student: Student.o
    $(CC) $(LFLAGS) Student.o -o Student

# EOF

```

EECS22: Advanced C Programming, Lecture 12

(c) 2012 R. Doemer

20

## Dynamic Memory Allocation

- Example Session

```
% vi Student.h
% vi Student.c
% vi Makefile
% make
gcc -Wall -ansi -g -c Student.c -o Student.o
gcc -Wall -g Student.o -o Student
% Student
Creating 2 student records...
Printing the student records...
Student ID: 1001
Student Name: Jane Doe
Student Grade: A
Student ID: 1002
Student Name: John Doe
Student Grade: C
Deleting the student records...
Done.
%
```

## Dynamic Memory Allocation

- Typical Dynamic Memory Usage Errors
  - Omitting `malloc()`: Access to unallocated memory
  - Reading uninitialized memory
  - Omitting `free()`: Memory *leak*
  - Freeing memory too early, or multiple times
  - ...
- Validating Dynamic Memory Usage
  - **valgrind**: A memory error checker (and more)
    - Instruments the program at (right before) run-time
    - Intercepts and checks calls to `malloc()` and `free()`
    - Intercepts and checks memory accesses
    - Reports any errors to the user (or a log file)
  - Use **valgrind** for testing and debugging!
    - There should be 0 errors and 0 bytes leaked!

## Dynamic Memory Allocation

- Example Session

```
% > valgrind Student
==23638== Memcheck, a memory error detector
==23638== [...]
==23638== Command: Student
Creating 2 student records...
Printing the student records...
Student ID: 1001
Student Name: Jane Doe
Student Grade: A
Student ID: 1002
Student Name: John Doe
Student Grade: C
Deleting the student records...
Done.
==23638== HEAP SUMMARY:
==23638==   in use at exit: 0 bytes in 0 blocks
==23638== total heap usage: 2 allocs, 2 frees, 96 bytes allocated
==23638==
==23638== All heap blocks were freed -- no leaks are possible
==23638== ERROR SUMMARY: 0 errors from 0 contexts [...]
%
```