

EECS 22: Advanced C Programming

Lecture 18

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Lecture 18: Overview

- Course Administration
 - Reminder: Final course evaluation
- Types
 - Type Conversion
 - Types in Expressions
 - Type Qualifiers
- Functions
 - Passing Data To/From Functions
 - Variable Argument Lists
- String Operations
- Standard Library
 - Functions defined in `stdlib.h`, `string.h`, `math.h`

Course Administration

- Final Course Evaluation
 - Open until end of 10th week (Sunday night)
 - Nov. 25, 2013, through Dec. 8, 2013, 11:45pm
 - Online via EEE Evaluation application
- Mandatory Evaluation of Course and Instructor
 - Voluntary
 - Anonymous
 - Very valuable
- Please spend 5 minutes for this survey!
 - Your feedback is appreciated!

Type Conversion

- Explicit Type Conversion
 - types can be explicitly converted to other types, by use of the type cast operator:
(type) expression
 - the target type is named explicitly in parentheses before the source expression
 - Examples:
 - **Float = (float) LongInt**
 - converts the `long int` value into a `float` value
 - **Integer = (int) Double**
 - converts the `double` value into an `int` value
 - any fractional part is truncated!
 - **Char = (char) LongLongInt**
 - converts the `long long int` value into a `char` value
 - any out-of-range values are silently cut off!

Type Conversion

- Implicit Type Conversion
 - Type promotion
 - integral promotion
 - `unsigned` or `signed char` is promoted to `unsigned` or `signed int` before any operation
 - `unsigned` or `signed short` is promoted to `unsigned` or `signed int` before any operation
 - binary arithmetic operators are defined only for same types
 - the smaller type is converted to the larger type (before operation)
 - Examples:
 - » `ShortInt * LongInt` results in a `long int` type
 - » `LongDouble * Float` results in a `long double` type
 - Type coercion
 - most types are automatically converted to expected types
 - Example: `Double = Float`, or `Char = LongInt`


EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

5

Types in Expressions

- Expressions are composed of constants, variables and operators, each of which has an associated type
- Example:



EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

6

Type Qualifiers

- Types may be further qualified
 - Type qualifier `const`
 - The value of a `const` object cannot be changed
 - Initialization is OK, assignment is not
 - Example:
 - `const double pi = 3.1415926536;`
 - Object may be placed in read-only memory (ROM)
 - Type qualifier `volatile`
 - The value of a `volatile` object must not be used for compiler optimizations
 - Machine registers for memory-mapped I/O are volatile
 - Example:
 - `volatile char *StatusReg = 0x40000000;`
 - `while(*StatusReg == 0x00) ;`
 - Accesses to `volatile` objects must not be optimized away

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

7

Passing Data To/From Functions

- Passing Arguments to Functions
 - Options:
 - Pass by value
 - Pass by reference
 - Via global variable
- Returning Results from Functions
 - Options:
 - Via return statement
 - Via pointer arguments (“store at address-of”)
 - Via global variable
- Considerations
 - Type of data (affects pass by value/reference)
 - Amount of data (affects performance)
 - Packaging in structures (`struct`)

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

8

Passing Data To/From Functions

- Passing Arguments to Functions
 - Pass by value
 - only the *current value* is passed as argument
 - the parameter is a *copy* of the argument
 - changes to the parameter *do not* affect the argument
 - Pass by reference
 - a *reference* to the object is passed as argument
 - the parameter is a *reference* to the argument
 - changes to the parameter *do* affect the argument
 - In ANSI C, ...
 - ... basic types and structures are passed by value
 - ... arrays are passed by reference
 - ... pointers can pass any object “by reference”
 - Via global variable
 - Almost always a *bad idea!*

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

9

Passing Data To/From Functions

- Passing Results back to the Caller
 - Via **return** statement
 - Breaks the control flow and immediately exits the function
 - Passes a *single object* to the caller
 - Passes by value
 - Can be seen as an assignment of the given value to a result variable (whose type is the return type of the function)
 - Type conversion rules apply as for assignment
 - Cannot return an array!
 - Via pointer arguments (“store at address-of”)
 - Manual implementation of “pass by reference”
 - Requires explicit handling of assignments
 - Can pass multiple objects
 - Via global variable
 - Almost always a *bad idea!*

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

10

Passing Data To/From Functions

- Passing Results back to the Caller
 - Advise: Avoid returning pointers to local variables!
 - Never return a pointer to an `auto` variable!
 - The variable lifetime ends with the return from the function!
 - Any access to that pointer by the caller is undefined!
 - Example:

```
char *Date(int m, int d, int y)
{ char Buffer[100];
  sprintf(Buffer, "%d/%d/%d", m,d,y);
  return Buffer;
}
...
printf("Today is %s.", Date(12,03,13));
```

```
Today is #@#$@#$@!...
```

Passing Data To/From Functions

- Passing Results back to the Caller
 - Advise: Avoid returning pointers to local variables!
 - Avoid returning a pointer to a `static` variable!
 - Variable lifetime is from program start to end, but only a single value can be used at any time!
 - The value may be overwritten before it is used!
 - Example:

```
char *Date(int m, int d, int y)
{ static char Buffer[100];
  sprintf(Buffer, "%d/%d/%d", m,d,y);
  return Buffer;
}
...
printf("Today is %s.", Date(12,03,13));
```

```
Today is 12/03/13.
```

Passing Data To/From Functions

- Passing Results back to the Caller
 - Advise: Avoid returning pointers to local variables!
 - Avoid returning a pointer to a **static** variable!
 - Variable lifetime is from program start to end, but only a single value can be used at any time!
 - The value may be overwritten before it is used!
 - Example:

```
char *Date(int m, int d, int y)
{ static char Buffer[100];
  sprintf(Buffer, "%d/%d/%d", m,d,y);
  return Buffer;
}
...
printf("Today is %s, tomorrow is %s!",
       Date(12,03,13), Date(12,04,13));
```

```
Today is 12/04/13, tomorrow is 12/04/13!
```

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

13

Variable Argument Lists

- Functions can take a variable number of arguments
 - Example: `int printf(char *fmt, ...);`
 - Note: The declaration `...`
 - indicates a variable number of arguments are following
 - is a valid token of the C language
 - can be used only at the end of an argument list
 - Header file `stdarg.h` provides
 - Type `va_list`
 - Type of a pointer to an argument (e.g. `ap`)
 - Macro `va_start(va_list ap, last_arg)`
 - Initializes `ap` to point to the first variable argument after `last_arg`
 - Macro `va_arg(va_list ap, type)`
 - Returns the value (of type `type`) of the next variable argument
 - Macro `va_end(va_list ap)`
 - Must be called once after all arguments are processed but before the function exits

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

14

Variable Argument Lists

- Functions can take a variable number of arguments
 - Example:

```
#include <stdarg.h>

int SumN(int N, ...)
{
    va_list ap;
    int i, a, s = 0;

    va_start(ap, N);
    for(i=0; i<N; i++)
    {
        a = va_arg(ap, int);
        s += a;
    }
    va_end(ap);
    return s;
}
```

```
int main(void)
{
    int s1, s2;

    s1 = SumN(3, 1,2,3);
    s2 = SumN(10,
              1,2,3,4,5,
              6,7,8,9,10);
    return SumN(2, s1, s2);
}
```

String Operations

- String Operations using Pointers
 - Example: String length

```
int Length(char *s)
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
      l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("Length of %s is %d\n",
       s1, Length(&s1[0]));
printf("Length of %s is %d\n",
       s2, Length(&s2[0]));
```

```
Length of ABC is 3
Length of Hello World! is 12
```


String Operations

- String Operations using Pointers

- Example: String length

```
int Length(char *s)
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
      l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("Length of %s is %d\n",
       s1, Length(&s1[0]));
printf("Length of %s is %d\n",
       s2, Length(s2));
```

```
Length of ABC is 3
Length of Hello World! is 12
```

- Array and pointer types are equivalent

- `s2` is an array, but can be passed as a pointer argument
- Character array `s2` is same as character pointer `&s2[0]`

String Operations

- String Operations using Pointers

- Example: String length

```
int Length(char *s)
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
      l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char *s2 = "Hello World!";

printf("Length of %s is %d\n",
       s1, Length(s1));
printf("Length of %s is %d\n",
       s2, Length(s2));
```

```
Length of ABC is 3
Length of Hello World! is 12
```

- Array and pointer types are equivalent

- `s1` is an array of characters, `s2` is a pointer to character
- Both `s1` and `s2` can be passed to character pointer `s`

String Operations

- String Operations using Pointers

- Example: String length

```
int Length(char s[])
{
    int l = 0;
    char *p = s;

    while(*p != 0)
    { p++;
      l++;
    }
    return l;
}
```

```
char s1[] = "ABC";
char *s2 = "Hello World!";

printf("Length of %s is %d\n",
      s1, Length(s1));
printf("Length of %s is %d\n",
      s2, Length(s2));
```

```
Length of ABC is 3
Length of Hello World! is 12
```

- Array and pointer types are equivalent

- `s1` is an array of characters, `s2` is a pointer to character
- Both `s1` and `s2` can be passed to character array `s`

String Operations

- String Operations using Pointers

- Example: String copy

```
void Copy(
    char *Dst,
    char *Src)
{
    do{
        *Dst = *Src;
        Dst++;
    } while(*Src++);
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("s1 is %s, s2 is %s\n",
      s1, s2);

Copy(s2, s1);
printf("s1 is %s, s2 is %s\n",
      s1, s2);
```

```
s1 is ABC, s2 is Hello World!
s1 is ABC, s2 is ABC
```

- Passing pointers as arguments to functions

- Function can modify caller data by pointer dereferencing
- **Passing pointers = Pass by reference!**

String Operations

- String Operations using Pointers

- Example: String copy

```
void Copy(
    char *Dst,
    const char *Src)
{
    do{
        *Dst = *Src;
        Dst++;
    } while(*Src++);
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("s1 is %s, s2 is %s\n",
       s1, s2);

Copy(s2, s1);
printf("s1 is %s, s2 is %s\n",
       s1, s2);
```

```
s1 is ABC, s2 is Hello World!
s1 is ABC, s2 is ABC
```

- Passing pointers as arguments to functions

- Function can modify caller data by pointer dereferencing
- Type qualifier **const**:
Modification by pointer dereferencing *not* allowed!

String Operations

- String Operations using Pointers

- Example: String copy

```
void Copy(
    const char *Dst,
    const char *Src)
{
    do{
        *Dst = *Src;
        Dst++;
    } while(*Src++);
}
```

```
char s1[] = "ABC";
char s2[] = "Hello World!";

printf("s1 is %s, s2 is %s\n",
       s1, s2);

Copy(s2, s1);
printf("s1 is %s, s2 is %s\n",
       s1, s2);
```

```
s1 is ABC, s2 is Hello World!
s1 is ABC, s2 is ABC
```

Error!
Write access to
const data!

- Passing pointers as arguments to functions

- Function can modify caller data by pointer dereferencing
- Type qualifier **const**:
Modification by pointer dereferencing *not* allowed!

Standard Library

- Standard C library
 - standard library supplied with every C compiler
 - predefined standard functions
 - e.g. `printf()`, `scanf()`, etc.
- C library header files
 - input/output function declarations `#include <stdio.h>`
 - standard function declarations `#include <stdlib.h>`
 - string function declarations `#include <string.h>`
 - others
- C library linker file
 - contains standard function definitions (pre-compiled)
 - library file `libc.a`
 - compiler links against the standard library by default (no need to supply extra options)

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

23

Standard Library

- Standard Math Library
 - standard library supplied with every C compiler
 - predefined mathematical functions
 - e.g. `cos(x)`, `sqrt(x)`, etc.
- Math library header file
 - contains math function declarations
 - `#include <math.h>`
- Math library linker file
 - contains math function definitions (pre-compiled)
 - library file `libm.a`
 - compiler needs to link against the math library
 - use option `-llibraryname`
 - Example: `gcc MathProgram.c -o MathProgram -lm`

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

24

Standard Library

- Functions declared in `stdlib.h` (selected subset)
 - `int abs(int x);`
 - `long int labs(long int x);`
 - return the absolute value of a (long) integer `x`
 - `int rand(void);`
 - return a random value in the range 0 - `RAND_MAX`
 - `RAND_MAX` is a constant integer (e.g. 32767)
 - `void srand(unsigned int seed);`
 - initialize the random number generator with value `seed`
 - `void exit(int result);`
 - exit the program with return value `result`
 - `void abort(void);`
 - abort the program (with an error result)

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

25

Standard Library

- Functions declared in `string.h` (part 1/2)
 - `typedef unsigned int size_t;`
 - type definition for length of strings
 - `size_t strlen(const char *s);`
 - returns the length of string `s`
 - `int strcmp(const char *s1, const char *s2);`
 - alphabetically compares string `s1` with string `s2`
 - returns -1 / 0 / 1 for less-than / equal-to / greater-than
 - `int strncmp(const char *s1, const char *s2, size_t n);`
 - same as previous, but compares maximal `n` characters
 - `int strcasecmp(const char *s1, const char *s2);`
 - `int strncasecmp(const char *s1, const char *s2, size_t n);`
 - same as string comparisons above, but case-insensitive

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

26

Standard Library

- Functions declared in `string.h` (part 2/2)
 - `char *strcpy(char *s1, const char *s2);`
 - copies string `s2` into string `s1`
 - `char *strncpy(char *s1, const char *s2, size_t n);`
 - copies maximal `n` characters of string `s2` into string `s1`
 - `char *strcat(char *s1, const char *s2);`
 - concatenates string `s2` to string `s1`
 - `char *strncat(char *s1, const char *s2, size_t n);`
 - concatenates maximal `n` characters of string `s2` to string `s1`
 - `char *strchr(const char *s, int c);`
 - returns a pointer to the first character `c` in string `s`, or `NULL` if not found
 - `char *strrchr(const char *s, int c);`
 - returns a pointer to the last character `c` in string `s`, or `NULL` if not found
 - `char *strstr(const char *s1, const char *s2);`
 - returns a pointer to the first appearance of `s2` in string `s1` (or `NULL`)

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

27

Standard Library

- Functions declared in `math.h` (part 1/2)
 - `double sqrt(double x);` \sqrt{x}
 - `double pow(double x, double y);` x^y
 - `double exp(double x);` e^x
 - `double log(double x);` $\log(x)$
 - `double log10(double x);` $\log_{10}(x)$
 - `double ceil(double x);` $\lceil x \rceil$
 - `double floor(double x);` $\lfloor x \rfloor$
 - `double fabs(double x);` $|x|$
 - `double fmod(double x, double y);` $x \bmod y$

EECS22: Advanced C Programming, Lecture 18

(c) 2013 R. Doemer

28

Standard Library

- Functions declared in `math.h` (part 2/2)

- `double cos(double x);` *cos(x)*
- `double sin(double x);` *sin(x)*
- `double tan(double x);` *tan(x)*
- `double acos(double x);` *acos(x)*
- `double asin(double x);` *asin(x)*
- `double atan(double x);` *atan(x)*
- `double cosh(double x);` *cosh(x)*
- `double sinh(double x);` *sinh(x)*
- `double tanh(double x);` *tanh(x)*