

EECS 22: Advanced C Programming

Lecture 11 (TuTh)

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Overview

- Data Structures
 - Structures
 - Unions
 - Bit fields
 - Enumerators
 - Type definitions

Data Structures

- Basic Data Types
 - Non-composite types with built-in operators
 - Integral types
 - Floating point types
- Static Data Structures
 - Composite user-defined types with built-in operators
 - Arrays
 - Structures, bit fields, unions, enumerators
- Dynamic Data Structures
 - Composite user-defined types with user-defined operations
 - Lists, queues, stacks
 - Trees, graphs
 - Dictionaries, ...
 - *Pointers!*

Data Structures

- Structures (aka. *records*): **struct**
 - User-defined, composite data type
 - Type is a composition of (different) sub-types
 - Fixed set of members
 - Names and types of members are fixed at structure definition
 - Member access by name
 - Member-access operator: *structure_name.member_name*
- Example:

```
struct S { int i; float f;} s1, s2;

s1.i = 42;          /* access to members */
s1.f = 3.1415;
s2 = s1;           /* assignment */
s1.i = s1.i + 2*s2.i;
```

Data Structures

- Structure Declaration
 - Declaration of a user-defined data type
- Structure Definition
 - Definition of structure members and their type
- Structure Instantiation and Initialization
 - Definition of a variable of structure type
 - Initializer list defines initial values of members
- Example:

```
struct Student;          /* declaration */

struct Student          /* definition */
{ int    ID;            /* members */
  char   Name[40];
  char   Grade;
};

struct Student Jane =   /* instantiation */
{1001, "Jane Doe", 'A'}; /* initialization */
```

Data Structures

- Structure Access
 - Members are accessed by their name
 - Member-access operator .
- Example:

```
struct Student
{
    int ID;
    char Name[40];
    char Grade;
};

struct Student Jane =
{1001, "Jane Doe", 'A'};

void PrintStudent(struct Student s)
{
    printf("ID:      %d\n", s.ID);
    printf("Name:    %s\n", s.Name);
    printf("Grade:  %c\n", s.Grade);
}
```

Jane	
ID	1001
Name	"Jane Doe"
Grade	'A'

```
ID:      1001
Name:    Jane Doe
Grade:  A
```

Data Structures

- Unions: `union`
 - User-defined, composite data type
 - Type is a composition of (different) sub-types
 - Fixed set of *mutually exclusive* members
 - Names and types of members are fixed at union definition
 - Member access by name
 - Member-access operator: `union_name.member_name`
 - *Only one member may be used at a time!*
 - *All members share the same location in memory!*
- Example:

```
union U { int i; float f;} u1, u2;

u1.i = 42;          /* access to members */
u2.f = 3.1415;
u1.f = u2.f;       /* destroys u1.i! */
```

Data Structures

- Union Declaration
 - Declaration of a user-defined data type
- Union Definition
 - Definition of union members and their type
- Union Instantiation and Initialization
 - Definition of a variable of union type
 - *Single* initializer defines value of *first* member
- Example:

```
union HeightOfTriangle; /* declaration */

union HeightOfTriangle /* definition */
{ int    Height;        /* members */
  int    LengthOfSideA;
  float  AngleBeta;
};


union HeightOfTriangle H /* instantiation */
= { 42 };                /* initialization */
```


Data Structures

- Union Access
 - Members are accessed by their name
 - Member-access operator .
- Example:

```
union HeightOfTriangle
{ int    Height;
  int    SideA;
  float  Beta;
};

union HeightOfTriangle t1, t2, t3
= { 42 };
```




Data Structures

- Union Access
 - Members are accessed by their name
 - Member-access operator .
- Example:

```
union HeightOfTriangle
{
    int    Height;
    int    SideA;
    float  Beta;
};

union HeightOfTriangle t1, t2, t3
= { 42 };

void SetHeight(void)
{
    t1.Height = 10;
    t2.SideA = t1.Height / 2;
    t3.Beta = 90.0;
}
```



Data Structures

- Bit Fields: Packing a few bits into a machine word
 - User-defined, composite data type
 - Type is a structure of sub-word-length bit fields (small integers)
 - Fixed set of members
 - Names and size of bit fields are fixed at bit field definition
 - Member access by name
 - Member-access operator: *structure_name.bitfield_name*

- Example:

```
struct FontAttribute {
    unsigned int IsItalic : 1;
    unsigned int IsBold   : 1;
    int /* padding */     : 0;
    unsigned int Size     : 12;
} Style;
Style.IsItalic = 0;
Style.IsBold   = 1;
Style.Size     = 600;
```

Data Structures

- Bit Fields: Packing a few bits into a machine word
 - Examples for usage
 - Flags: Set of single bits indicating a condition, property, or attribute
 - Device registers (e.g. CPU status, or UART I/O register)
 - Packing of small integers (e.g. floating-point representation)
 - Advantages
 - Space-efficiency with convenient access
 - Better readability
 - As compared to using bit-wise operators, shifting, and bit constants
 - Portability
 - The layout of bit fields in memory is implementation defined!
 - Position of bits in memory depends on
 - Compiler (bit packing strategy, loose or tight)
 - Byte-order of target machine (big vs. little endian)
 - Machine word width

Data Structures

- Example: `Bitfield.c`

```
/* Bitfield.c: 11/06/12, RD */  
  
#include <stdio.h>  
  
struct FloatFormat {  
    unsigned int Mantissa : 23;  
    unsigned int Exponent : 8;  
    unsigned int Sign      : 1;  
};  
  
union FloatUnion {  
    float          Value;  
    struct FloatFormat Format;  
} Float = { -1.0 };  
  
int main(void)  
{  
    printf("sizeof(float) = %lu\n", sizeof(float));  
    printf("sizeof(Float) = %lu\n", sizeof(Float));  
    printf("Float.Value    = %f\n", Float.Value);  
    printf("Float.Format.Sign      = %u\n", Float.Format.Sign);  
    printf("Float.Format.Exponent = %u\n", Float.Format.Exponent);  
    printf("Float.Format.Mantissa = %u\n", Float.Format.Mantissa);  
    return 0;  
}
```

Data Structures

- Example: `Bitfield.c`

```
% gcc Bitfield.c -o Bitfield -Wall -ansi
% ./Bitfield
sizeof(float) = 4
sizeof(Float) = 4
Float.Value    = -1.000000
Float.Format.Sign      = 1
Float.Format.Exponent = 127
Float.Format.Mantissa = 0
%
```

Data Structures

- Enumerators: `enum`
 - User-defined data type
 - Members are an enumeration of integral constants
 - Fixed set of members
 - Names and values of members are fixed at enumerator definition
 - Members are constants
 - Member values cannot be changed after definition
- Example:

```
enum E { red, yellow, green };
enum E LightNS, LightEW;

LightEW = green;          /* assignment */
if (LightNS == green)    /* comparison */
    { LightEW = red; }
```

Data Structures

- Enumerator Declaration
 - Declaration of a user-defined data type
- Enumerator Definition
 - Definition of enumerator members and their value
- Enumerator Instantiation and Initialization
 - Definition of a variable of enumerator type
 - Initializer should be one member of the enumerator
- Example:

```
enum Weekday;           /* declaration */

enum Weekday           /* definition */
{ Monday, Tuesday,    /* members */
  Wednesday, Thursday,
  Friday, Saturday, Sunday
};

enum Weekday Today     /* instantiation */
= Monday;             /* initialization */
```


Data Structures

- Enumerator Values
 - Enumerator values are integer constants
 - By default, enumerator values start at 0 and are incremented by 1 for each following member

- Example:

Today

Monday

Day: 0

```
enum Weekday
{ Monday,
  Tuesday,
  Wednesday,
  Thursday,
  Friday,
  Saturday,
  Sunday
};

enum Weekday Today
= Monday;

void PrintWeekday(
    enum Weekday d)
{
    printf("Day: %d\n", d);
}
```

Data Structures

- Enumerator Values
 - Enumerator values are integer constants
 - By default, enumerator values start at 0 and are incremented by 1 for each following member
 - Specific enumerator values may be defined by the user
- Example:

Today

Monday

Day: 1

```
enum Weekday
{ Monday = 1,
  Tuesday,
  Wednesday,
  Thursday,
  Friday,
  Saturday,
  Sunday
};

enum Weekday Today
= Monday;

void PrintWeekday(
    enum Weekday d)
{
    printf("Day: %d\n", d);
}
```

Data Structures

- Enumerator Values
 - Enumerator values are integer constants
 - By default, enumerator values start at 0 and are incremented by 1 for each following member
 - Specific enumerator values may be defined by the user
- Example:

Today

Monday

Day: 2

```
enum Weekday
{ Monday = 2,
  Tuesday,
  Wednesday,
  Thursday,
  Friday,
  Saturday,
  Sunday = 1
};

enum Weekday Today
= Monday;

void PrintWeekday(
    enum Weekday d)
{
    printf("Day: %d\n", d);
}
```

Data Structures

- Type definitions: `typedef`
 - A type definition creates an *alias* type name for another type
 - A type definition uses the same syntax as a variable definition
 - Syntactically, `typedef` is a storage class!
 - Type definitions are often used...
 - as common type name used in several places in the code
 - as shortcut for composite user-defined types (objects)
- Examples:

```
typedef unsigned long UInt64;    /* 64-bit type */

typedef struct Student Scholar; /* shortcut */
Scholar Jane, John;

typedef struct Image             /* digital image type */
{ unsigned int  Width, Height;
  unsigned char R[640*480], G[640*480], B[640*480];
} IMAGE;
```