



EECS 22: Advanced C Programming

Lecture 5 (TuTh)

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Overview

- Review of the C Programming Language
 - Functions
 - Introduction and concept
 - Declaration, definition, and function call
 - Passing Arguments to Function Parameters
 - Pass by value vs. pass by reference
- Hierarchy of Functions
 - Example program `Cylinder.c`
 - Function call graph
 - Function call trace
 - Function call stack
 - Long Jump

Review of the C Programming Language

- Functions
 - Support for essential programming concepts
 - Hierarchy
 - Encapsulation
 - Information hiding
 - Divide and conquer
 - Software reuse
 - Don't re-invent the wheel!
 - Program composition
 - C program = Set of functions
 - starting point: function named `main`
 - Libraries = Set of functions
 - predefined functions (often written by somebody else)

Functions

- C programming language distinguishes 3 constructs around functions
 - *Function declaration*
 - declaration of function name, parameters, and return type
 - *Function definition*
 - extension of a function declaration with a function body
 - definition of the function behavior
 - *Function call*
 - invocation of a function

Functions

- Function Declaration
 - aka. *function prototype* or *function signature*
 - declares
 - function name
 - function parameters
 - type of return value
- Example:

```
double CircleArea(double r);
```

 - function is named **CircleArea**
 - function takes one parameter **r** of type **double**
 - function returns a value of type **double**

Functions

- Function Definition
 - extends a function declaration with a function body
 - defines the statements executed by the function
 - may use local variables for the computation
 - returns result value via **return** statement (if any)
- Example:

```
double CircleArea(double r)
{
    const double pi = 3.1415927;
    double a;
    a = pi * r * r;
    return a;
}
```

Functions

- Function Call
 - expression invoking a function
 - supplies arguments for formal parameters
 - invokes the function
 - result is the value returned by the function
- Example:

```
double a, b = 10.0;  
a = CircleArea(b);
```

 - function **CircleArea** is called
 - argument **b** is passed for parameter **r** (by value)
 - value returned by the function is assigned to **a**

Functions

- C Programming Language distinguishes 3 Constructs
 - Function declaration
 - declaration of function name, parameters, and return type
 - Function definition
 - extension of a function declaration with a function body
 - definition of the function behavior
 - Function call
 - invocation of a function
- C Program Rules
 - A function must be declared before it can be called.
 - Multiple function declarations are allowed (if they match).
 - A function definition is an implicit function declaration.
 - A function must be defined exactly once in a program.
 - A function may be called any number of times.

Passing Arguments to Functions

- In ANSI C, ...
 - ... basic types are passed by value
 - ... arrays are passed by reference
- Pass by Value
 - only the *current value* is passed as argument
 - the parameter is a *copy* of the argument
 - changes to the parameter *do not* affect the argument
- Pass by Reference
 - a *reference* to the object is passed as argument
 - the parameter is a *reference* to the argument
 - changes to the parameter *do* affect the argument

Passing Arguments to Functions

- Example: Pass by Value (Basic Types)

```
void f(int p)
{
    printf("p before modification is %d\n", p);
    p = 42;
    printf("p after modification is %d\n", p);
}

int main(void)
{
    int a = 0;

    printf("a before function call is %d\n", a);
    f(a);
    printf("a after function call is %d\n", a);
}
```

```
a before function call is 0
p before modification is 0
p after modification is 42
a after function call is 0
```

Changes to the parameter *do not affect the argument!*

Passing Arguments to Functions

- Example: Pass by Reference (Arrays)

```
void f(int p[2])
{
    printf("p[1] before modification is %d\n", p[1]);
    p[1] = 42;
    printf("p[1] after modification is %d\n", p[1]);
}

int main(void)
{
    int a[2] = {0, 0};


    printf("a[1] before function call is %d\n", a[1]);
    f(a);
    printf("a[1] after function call is %d\n", a[1]);
}
```

```
a[1] before function call is 0
p[1] before modification is 0
p[1] after modification is 42
a[1] after function call is 42
```

Changes to the parameter *do affect the argument!*

Hierarchy of Functions

- Hierarchy of Functions
 - functions call other functions
- Example:
Cylinder calculations
 - given radius and height
 - calculate surface and volume
- Circle constant $\pi = 3.14159265\dots$
- Circle perimeter $f_p(r) = 2 \times \pi \times r$
- Circle area $f_a(r) = \pi \times r^2$
- Cylinder surface $f_s(r, h) = f_p(r) \times h + 2 \times f_a(r)$
- Cylinder volume $f_v(r, h) = f_a(r) \times h$



Hierarchy of Functions

- Program example: `Cylinder.c` (part 1/3)

```
/* Cylinder.c: cylinder functions */  
/* author: Rainer Doemer */  
/* modifications: */  
/* 10/25/05 RD initial version */  
  
#include <stdio.h>  
  
/* cylinder functions */  
  
double pi(void)  
{  
    return(3.1415927);  
}  
  
double CircleArea(double r)  
{  
    return(pi() * r * r);  
}  
...
```

Hierarchy of Functions

- Program example: `Cylinder.c` (part 2/3)

```
...
double CirclePerimeter(double r)
{
    return(2 * pi() * r);
}

double Surface(double r, double h)
{
    double side, lid;

    side = CirclePerimeter(r) * h;
    lid  = CircleArea(r);

    return(side + 2*lid);
}

double Volume(double r, double h)
{
    return(CircleArea(r) * h);
}
...
```

Hierarchy of Functions

- Program example: `Cylinder.c` (part 3/3)

```
...
/* main function */

int main(void)
{   double r, h, s, v;

    /* input section */
    printf("Please enter the radius: ");
    scanf("%lf", &r);
    printf("Please enter the height: ");
    scanf("%lf", &h);

    /* computation section */
    s = Surface(r, h);
    v = Volume(r, h);

    /* output section */
    printf("The surface area is %f.\n", s);
    printf("The volume is %f.\n", v);

    return 0;
} /* end of main */
```

Hierarchy of Functions


- Example session: `Cylinder.c`

```
% vi Cylinder.c
% gcc Cylinder.c -o Cylinder -Wall -ansi -std=c99
% ./Cylinder
Please enter the radius: 5.0
Please enter the height: 8.0
The surface area is 408.407051.
The volume is 628.318540.

%
```

Function Call Graph

- Graphical Representation of Function Calls
 - Directed Graph
 - Nodes: Functions
 - Edges: Function calls
 - Shows dependencies among functions
 - Example:




Function Call Trace

- Sequence of Function Calls
 - shows execution order of functions at run-time
- Example:
 - `main()`
 - `printf()`
 - `scanf()`
 - `printf()`
 - `scanf()`
 - `Surface()`
 - `CirclePerimeter()`
 - » `pi()`
 - `CircleArea()`
 - » `pi()`
 - `Volume()`
 - `CircleArea()`
 - » `pi()`
 - `printf()`
 - `printf()`


Function Call Stack

- Stack Frames
 - Keep track of active function calls
 - Stack grows by one frame with each function call
 - Stack shrinks by one frame with each completed function




Function Call Stack

- Stack Frames
 - Keep track of active function calls
 - Stack grows by one frame with each function call
 - Stack shrinks by one frame with each completed function



Function Call Stack

- Stack Frames
 - Keep track of active function calls
 - Stack grows by one frame with each function call
 - Stack shrinks by one frame with each completed function



Non-Local Goto: Long Jump

- *Long Jump*: Returning to a previous stack frame
 - Useful, for example, when dealing with errors (or interrupts) in a low-level function of a program.
 - However, long jumps are hard to understand and maintain!
 - Same as goto, avoid long jumps, if possible!
 - ```
#include <setjmp.h>

int setjmp(jmp_buf env);
```

    - saves current stack context in `env` for later use by `longjmp()`
    - stack context in `env` is valid until the function which called `setjmp()` returns
  - ```
void longjmp(jmp_buf env, int val);
```

 - non-local jump (return) to a saved stack context `env`
 - `longjmp()` restores the stack context saved by `setjmp()`
 - after `longjmp()`, program execution continues as if the call of `setjmp()` had just returned the value `val`

Non-Local Goto: Long Jump

- *Long Jump*: Returning to a previous stack frame
- Example:

```
#include <setjmp.h>

jmp_buf env;           /* storage for stack context */

void error(void)      /* error, return to main! */
{
    longjmp(env, 1);
}

int main(void)
{
    if (setjmp(env)) /* store current stack context */
    { /* long jump arrives here! */
        return 10;
    }

    work(...); /* call tree can call error at any time */
    return 0;
}
```

Non-Local Goto: Long Jump

- *Long Jump*: Returning to a previous stack frame
- Example:

```
#include <setjmp.h>

jmp_buf env;

void error(void)
{
    longjmp(env, 1);
}

int main(void)
{
    if (setjmp(env))
    { // long jump target
        return 10;
    }

    work(...);
    return 0;
}
```

