

# EECS 10: Computational Methods in Electrical and Computer Engineering

## Lecture 1

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering  
Electrical Engineering and Computer Science  
University of California, Irvine

## Lecture 1.1: Overview

- Introduction
  - Course overview
- Introduction to Computers
  - What is a computer?
  - What is programming?
- Course administration
  - Course web pages

## Introduction

- Course Contents
  - Introduction to computers
  - Introduction to structured programming
    - C, a high-level structured programming language
  - Binary data representation
  - Introduction to algorithm efficiency
  - Solving engineering problems
    - Applications of structured programming
  - Hands-on experience
    - Laboratory and discussion sessions

## Introduction to Computers

- What is a computer?
  - Digital device capable of executing programs
    - performing computations
    - making logical decisions
- What is a program?
  - Set of instructions which process data
    - input data (e.g. from keyboard, mouse, disk)
    - output data (e.g. to monitor, printer, disk)
- What is programming?
  - Creation of computer programs by use of a programming language

## Introduction to Programming

- Categories of programming languages
  - Machine languages (stream of 1's and 0's)
  - Assembly languages (low-level CPU instructions)
  - High-level languages (high-level instructions)
- Translation of high-level languages
  - Interpreter (translation for each instruction)
  - Compiler (translation once for all code)
  - Hybrid (combination of the above)
- Types of programming languages
  - Functional (e.g. Lisp)
  - Structured (e.g. Pascal, C, Ada)
  - Object-oriented (e.g. C++, Java, Python)

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

5

## Course Administration

- Course web pages online at <http://eee.uci.edu/17y/18010/>
  - Instructor information
  - Course description and contents
  - Course policies and resources
  - Course schedule
  - Homework assignments
  - Course communication
    - Message board (announcements and technical discussion)
    - Email (administrative issues)

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

6

## Lecture 1.2: Overview

- Getting started
  - Obtain your UCInetID
  - Obtain an account on the EECS servers
  - Log into the server
- Linux system environment
  - System commands
  - Text editing

## Getting Started

- Log into the server
  - Use a terminal with SSH protocol (secure shell)
  - Connect to the EECS Linux server
    - `crystalcove.eecs.uci.edu`
    - `zuma.eecs.uci.edu`
  - Authorize yourself with your UCInetID credentials
- Work in the Linux system environment
  - Linux shell prints command prompt, awaiting input
  - Type in system commands  
`echo, date, ls, cat, man, more,`  
`pwd, mkdir, cd, cp, mv, rm, rmdir`
  - Refer to manual pages for help on commands

## Linux System Environment

- Linux system commands
  - **echo** print a message
  - **date** print the current date and time
  - **ls** list the contents of the current directory
  - **cat** list the contents of files
  - **more** list the contents of files page by page
  - **pwd** print the path to the current working directory
  - **mkdir** create a new directory
  - **cd** change the current directory
  - **cp** copy a file
  - **mv** rename and/or move a file
  - **rm** remove (delete) a file
  - **rmdir** remove (delete) a directory
  - **man** view manual pages for system commands

## Linux System Environment

- Text editing
  - **vi** standard Unix editor
  - **vim** vi-improved (supports syntax highlighting)
  - **pico** easy-to-use text editor
  - **emacs** very powerful editor
  - many others...
- Pick one editor and make yourself comfortable with it!

## Linux System Environment

- Example session (1/4):

```

login as: doemer
Password:
Last login: Mon Oct  1 08:20:09 2007 from beta.eecs.uci.e
...
If this system is busy, consider a less loaded one below:
vivian.eecs.uci  up 30 days, 18:00,  load average: 0.00, 0.00, 0.01
malibu.eecs.uci up 2826 days, 21:06, load average: 0.00, 0.00, 0.01
newport.eecs.uc up 23 days, 23:29,  load average: 0.00, 0.00, 0.02
east.eecs.uci.e up 12 days,  4:56,   load average: 1.46, 1.41, 1.68
% date
Mon Oct  1 08:24:47 PDT 2007
% echo "Hello EECS10!"
Hello EECS10!
% ls
eecs10/          Mail/           tmp/
% pwd
/users/faculty/doemer
% mkdir homework
% ls
eecs10/          homework/      Mail/          tmp/
...

```

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

11

## Linux System Environment

- Example session (2/4):

```

...
% cd homework
% pwd
/users/faculty/doemer/homework
% ls
% mkdir hw1
% ls
hw1/
% cd hw1
% ls
% vi program.c
% ls
program.c
% ls -l
total 2
-rw-----  1 doemer  smmsp           51 Oct  1 08:32 program.c
% more program.c
This is my new program file.
I don't know C yet...
...

```

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

12

## Linux System Environment

- Example session (3/4):

```

...
% cp program.c mybackup.c
% ls
mybackup.c  program.c
% ls -l
-rw----- 1 doemer  smmsp      51 Oct  1 08:34 mybackup.c
-rw----- 1 doemer  smmsp      51 Oct  1 08:32 program.c
% cd ..
% pwd
/users/faculty/doemer/homework
% ls
hw1/
% ~eecs10/bin/turnin.sh
=====
EECS 10 Summer 2017:
Assignment "hw1" submission for doemer
Due date: Mon Jul  3 11:00:00 2017
=====
...

```

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

13

## Linux System Environment

- Example session (4/4):

```

...
Submit program.c [yes, no]? y
Cannot read file program.c
Submit mybackup.c [yes, no]? n
=====
Summary:
=====
You just submitted file(s):
  program.c
You have not submitted file(s):
  mybackup.c
% ~eecs10/bin/listfiles.py
=====
EECS 10 Summer 2017: "hw1" listing for doemer
=====
Files submitted for assignment "hw1":
  program.c
% logout

```

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

14

## Lecture 1.3: Overview

- Introduction to Programming in C
  - History of C
  - Introduction to C
- Our first C Program
  - Example `HelloWorld.c`
  - Structure of a C program
  - `printf()` function
  - Program compilation and execution
  - String constants

## Introduction to Programming

- Categories of programming languages
  - Machine languages (stream of 1's and 0's)
  - Assembly languages (low-level CPU instructions)
  - **High-level languages** (**high-level instructions**)
- Translation of high-level languages
  - Interpreter (translation for each instruction)
  - **Compiler** (**translation once for all code**)
  - Hybrid (combination of the above)
- Types of programming languages
  - Functional (e.g. Lisp)
  - **Structured** (e.g. Pascal, **C**, **Ada**)
  - Object-oriented (e.g. C++, Java, Python)



## History of C

- Evolved from BCPL and B
  - in the 60's and 70's
- Created in 1972 by Dennis Ritchie (Bell Labs)
  - first implementation on DEC PDP-11
  - added concept of *typing* (and other features)
  - development language of UNIX operating system
- “Traditional” C
  - 1978, “*The C Programming Language*”, by Brian W. Kernighan, Dennis M. Ritchie
  - ported to most platforms
- ANSI C
  - standardized in 1989 by ANSI and OSI
  - standard updated in 1999

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

17

## Introduction to C

- What is C?
  - Programming language
    - high-level
    - structured
    - compiled
  - Standard library
    - rich collection of existing functions
- Why C?
  - de-facto standard in software development
  - code is portable to many different platforms
  - supports structured and functional programming
  - easy transition to object-oriented programming
    - C++ / Java
  - freely available for most platforms

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

18

## Our first C Program

- Program example: `HelloWorld.c`

```

/* HelloWorld.c: our first C program */
/*
/* author: Rainer Doemer          */
/*
/* modifications:                 */
/* 09/28/04 RD initial version    */
/*

#include <stdio.h>

/* main function */

int main(void)
{
    printf("Hello World!\n");
    return 0;
}

/* EOF */

```

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

19

## Our first C Program

- Program comments
  - start with `/*` and end with `*/`
  - are ignored by the compiler
  - should be used to
    - document the program code
    - structure the program code
    - enhance the readability
- `#include` preprocessor directive
  - inserts a header file into the code
- standard header file `<stdio.h>`
  - part of the C standard library
  - contains declarations of standard types and functions for data input and output (e.g. function `printf()`)

```

/* HelloWorld.c: our first C program */
/* author: Rainer Doemer          */
/* modifications:                 */
/* 09/28/04 RD initial version    */
/*
#include <stdio.h>
/* main function */
int main(void)
{
    printf("Hello World!\n");
    return 0;
}
/* EOF */

```

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

20

## Our first C Program

- **int main(void)**
  - main function of the C program
  - the program execution starts (and ends) here
  - **main** must return an integer (**int**) value to the operating system at the end of its execution
    - return value of 0 indicates successful completion
    - return value greater than 0 usually indicates an error condition
- **function body**
  - block of code (definitions and statements)
  - starts with an opening brace (**{**)
  - ends with a closing brace (**}**)
- **printf()** function
  - formatted output (to **stdout**)
- **return** statement
  - ends a function and returns its argument as result

```
...
/* main function */
int main(void)
{
    printf("Hello World!\n");
    return 0;
}
/* EOF */
```

## Our first C Program

- **Program compilation**
  - compiler translates the code into an executable program
  - **gcc HelloWorld.c**
  - compiler reads file **HelloWorld.c** and creates file **a.out**
  - options may be specified to direct the compilation
    - **-o HelloWorld** specifies output file name
    - **-ansi -Wall** specifies ANSI code with all warnings
- **Program execution**
  - use the generated executable as command
  - **HelloWorld**
  - the operating system loads the program (loader), then executes its instructions (program execution), and finally resumes when the program has terminated

## Our first C Program

- Example session: HelloWorld.c

```
% mkdir HelloWorld
% cd HelloWorld
% ls
% vi HelloWorld.c
% ls
HelloWorld.c
% ls -l
-rw-r--r--  1 doemer  faculty    263 Sep 28 22:11 HelloWorld.c
% gcc HelloWorld.c
% ls -l
-rw-r--r--  1 doemer  faculty    263 Sep 28 22:11 HelloWorld.c
-rwxr-xr-x  1 doemer  faculty   6352 Sep 28 22:12 a.out*
% a.out
Hello World!
% gcc -Wall -ansi HelloWorld.c -o HelloWorld
% ls -l
-rwxr-xr-x  1 doemer  faculty   6356 Sep 28 22:17 HelloWorld*
-rw-r--r--  1 doemer  faculty    263 Sep 28 22:17 HelloWorld.c
-rwxr-xr-x  1 doemer  faculty   6352 Sep 28 22:12 a.out*
% HelloWorld
Hello World!
```

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

23

## Our first C Program

- Character string constants: "Strings"
  - start and end with a double quote character (")
  - may not extend over a single line
  - subsequent string constants are combined
  - text formatting using escape sequences
    - `\n` new line
    - `\t` horizontal tab
    - `\r` carriage return
    - `\b` back space
    - `\a` alert / bell
    - `\\` backslash character
    - `\"` double quote character
- Experiments with the `HelloWorld` program...

EECS10: Computational Methods in ECE, Lecture 1

(c) 2017 R. Doemer

24