

EECS 10: Computational Methods in Electrical and Computer Engineering

Lecture 13

Rainer Dömer

doemer@uci.edu

The Henry Samueli School of Engineering
Electrical Engineering and Computer Science
University of California, Irvine

Lecture 13: Overview

- Review
 - Lecture 7: Formatted I/O, structured programming
 - Lecture 8: Structured programming, loops
 - Lecture 9: Functions, concepts, hierarchy, stack
 - Lecture 10: Functions, scoping, library functions
 - Lecture 11: Data structures, arrays
 - Lecture 12: Character arrays, strings
- Midterm Review Quiz
 - Top 5 “most difficult” questions
- Review Quiz
 - 25 new questions

Midterm 1 Review Quiz



- Top 5 “most difficult” questions:
- Which of the following C expressions yield the same result?
(Check all that apply!)
 - a) $4 \ll 8 \% 5 / 2$
 - b) $(4 \ll 8) \% 5 / 2$
 - c) $4 \ll 8 \% (5 / 2)$
 - d) $(4 \ll 8 \% 5) / 2$
 - e) $4 \ll (8 \% 5) / 2$

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

3

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:
- Which of the following C expressions yield the same result?
(Check all that apply!)
 -  a) $4 \ll 8 \% 5 / 2$ (8)
 - b) $(4 \ll 8) \% 5 / 2$ (2)
 - c) $4 \ll 8 \% (5 / 2)$ (4)
 - d) $(4 \ll 8 \% 5) / 2$ (16)
 -  e) $4 \ll (8 \% 5) / 2$ (8)

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

4

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:
- Which of the following program fragments will *not* terminate? (Check all that apply!)

a)

```
int a = 1;
while(a < 1000000)
{ a++; }
```

d)

```
int a = 10;
while(a > 0)
{ a = a / 3; }
```

b)

```
int a = 0;
while(a < 1000)
{ a = a * 3; }
```

e)

```
int a = 1;
while(a < 1000)
{ a = a << 1; }
```

c)

```
int a = 1;
while(a == 1)
{ a = a % 10; }
```

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

5

Midterm 1 Review Quiz


- Top 5 “most difficult” questions:
- Which of the following program fragments will *not* terminate? (Check all that apply!)

a)

```
int a = 1;
while(a < 1000000)
{ a++; }
```

d)


```
int a = 10;
while(a > 0)
{ a = a / 3; }
```

 b)

```
int a = 0;
while(a < 1000)
{ a = a * 3; }
```

e)

```
int a = 1;
while(a < 1000)
{ a = a << 1; }
```

 c)

```
int a = 1;
while(a == 1)
{ a = a % 10; }
```

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

6

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:
- What is the output of the following C program fragment?


```
int i1 = 5, i2 = 2, i;  
float f1 = 5, f2 = 2, f;  
i = i1 / i2;  
f = (int)(f1 / f2);  
printf("i = %d, f = %f", i, f);
```

- a) i = 2, f = 2
- b) i = 1, f = 2
- c) i = 2, f = 2.00000
- d) i = 2.00000, f = 2.50000
- e) i = 2, f = 2.50000

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:
- What is the output of the following C program fragment?

```
int i1 = 5, i2 = 2, i;  
float f1 = 5, f2 = 2, f;  
i = i1 / i2;  
f = (int)(f1 / f2);  
printf("i = %d, f = %f", i, f);
```

- a) i = 2, f = 2
- b) i = 1, f = 2
-  c) i = 2, f = 2.00000
- d) i = 2.00000, f = 2.50000
- e) i = 2, f = 2.50000

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:

- Prime number test:
Iterate over $2 \leq i < x$
to find a divisor of x .
What should go into
the box in line 4?


- $i = 0;$
- $i = 1;$
- $i = 2;$
- $i = x;$
- $x = 0;$

```
int x, i;
printf("Please input a number: ");
scanf("%d", &x);
initialize variable i
while(i < x)
{ if(x % i == 0)
  { printf("%d is not prime\n", x);
    break;
  }
  i++;
}
if( none of the i is a divisor of x )
{ printf("%d is prime\n", x);
}
```

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:

- Prime number test:
Iterate over $2 \leq i < x$
to find a divisor of x .
What should go into
the box in line 4?

- $i = 0;$
- $i = 1;$
-  $i = 2;$
- $i = x;$
- $x = 0;$

```
int x, i;
printf("Please input a number: ");
scanf("%d", &x);
initialize variable i
while(i < x)
{ if(x % i == 0)
  { printf("%d is not prime\n", x);
    break;
  }
  i++;
}
if( none of the i is a divisor of x )
{ printf("%d is prime\n", x);
}
```

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:

- Prime number test:
Iterate over $2 \leq i < x$
to find a divisor of x .
What should go into
the box in line 12?


- $x / i == 0$
- $x < i$
- $i / x == 0$
- $i + 1 == x$
- $i == x$

```
int x, i;
printf("Please input a number: ");
scanf("%d", &x);
initialize variable i
while(i < x)
{ if(x % i == 0)
  { printf("%d is not prime\n", x);
    break;
  }
  i++;
}
if( none of the i is a divisor of x )
{ printf("%d is prime\n", x);
}
```

Midterm 1 Review Quiz

- Top 5 “most difficult” questions:

- Prime number test:
Iterate over $2 \leq i < x$
to find a divisor of x .
What should go into
the box in line 12?

- $x / i == 0$
- $x < i$
- $i / x == 0$
- $i + 1 == x$
-  $i == x$

```
int x, i;
printf("Please input a number: ");
scanf("%d", &x);
initialize variable i
while(i < x)
{ if(x % i == 0)
  { printf("%d is not prime\n", x);
    break;
  }
  i++;
}
if( none of the i is a divisor of x )
{ printf("%d is prime\n", x);
}
```

Quiz: Question 1

- Which of the following expressions would be treated as a true condition when used with an `if` statement?

(Check all that apply!)

- a) `(int)5.99 > 5`
- b) `1 || 0 && 1`
- c) `5 >= 5`
- d) `(1 + 2 + 3) == (3 << 2 >> 1)`
- e) `5 - 5`

Quiz: Question 1

- Which of the following expressions would be treated as a true condition when used with an `if` statement?

(Check all that apply!)

- a) `(int)5.99 > 5`
- b) `1 || 0 && 1`
- c) `5 >= 5`
- d) `(1 + 2 + 3) == (3 << 2 >> 1)`
- e) `5 - 5`

Quiz: Question 2

- If `count` is an integer counter that counts upwards in steps of 1, how could one update the value of `count`?
(Check all that apply!)

- a) `count += 1;`
- b) `count = count + 1;`
- c) `++count;`
- d) `count++;`
- e) `count += count;`

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

15

Quiz: Question 2

- If `count` is an integer counter that counts upwards in steps of 1, how could one update the value of `count`?
(Check all that apply!)

- a) `count += 1;`
- b) `count = count + 1;`
- c) `++count;`
- d) `count++;`
- e) `count += count;`

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

16

Quiz: Question 3

- What is the value of **x** after the following code fragment is executed?


```
int x = 0;
for(x = 1; x <= 10; x++)
{ }
```

- a) 0
- b) 1
- c) 9
- d) 10
- e) 11

Quiz: Question 3

- What is the value of **x** after the following code fragment is executed?

```
int x = 0;
for(x = 1; x <= 10; x++)
{ }
```

- a) 0
- b) 1
- c) 9
- d) 10
-  e) 11

Quiz: Question 4

- What is the value of **x** after the following code fragment is executed?


```
int x = 0;  
do { x++;  
    } while(x < 9);
```

- a) 0
- b) 1
- c) 9
- d) 10
- e) 11

Quiz: Question 4

- What is the value of **x** after the following code fragment is executed?

```
int x = 0;  
do { x++;  
    } while(x < 9);
```

- a) 0
- b) 1
-  c) 9
- d) 10
- e) 11

Quiz: Question 5

- What is the value of x after the following code fragment is executed?


```
int x = 10;
while(x > 0)
{ x -= 2;
}
```

- a) -2
- b) -1
- c) 0
- d) 1
- e) 2

Quiz: Question 5

- What is the value of x after the following code fragment is executed?

```
int x = 10;
while(x > 0)
{ x -= 2;
}
```

- a) -2
- b) -1
-  c) 0
- d) 1
- e) 2

Quiz: Question 6


- Given the following function g , what is the result of $g(85)$?

- a) 'A'
- b) 'B'
- c) 'C'
- d) 'D'
- e) 'F'

```
char g(int n)
{
    switch(n/10)
    { case 10:
      case 9: return('A');
      case 8: return('B');
      case 7: return('C');
      case 6: return('D');
      default: return('F');
    }
}
```

Quiz: Question 6

- Given the following function g , what is the result of $g(85)$?

- a) 'A'
-  b) 'B'
- c) 'C'
- d) 'D'
- e) 'F'

```
char g(int n)
{
    switch(n/10)
    { case 10:
      case 9: return('A');
      case 8: return('B');
      case 7: return('C');
      case 6: return('D');
      default: return('F');
    }
}
```

Quiz: Question 7

- What is output by the following C statement?


```
printf("x = %03d", 3 + 4);
```

- a) **x = 034**
- b) **x = 037**
- c) **x = 007**
- d) **x = 7**
- e) **x = 347**

Quiz: Question 7

- What is output by the following C statement?

```
printf("x = %03d", 3 + 4);
```

- a) **x = 034**
- b) **x = 037**
-  c) **x = 007**
- d) **x = 7**
- e) **x = 347**

Quiz: Question 8


- In the `gdb` debugger, what does `next` do?
 - a) It moves to the next argument of the function.
 - b) It calls the next function in the program.
 - c) It executes the next statement in the program.
 - d) It prints the value of the next variable.
 - e) It loads the next program into the debugger.

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

27

Quiz: Question 8

- In the `gdb` debugger, what does `next` do?
 - a) It moves to the next argument of the function.
 - b) It calls the next function in the program.
 -  c) It executes the next statement in the program.
 - d) It prints the value of the next variable.
 - e) It loads the next program into the debugger.

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

28

Quiz: Question 9

- Given the following code fragment, which of the following statements are true?

(Check all that apply!)

- a) Function f is declared.
- b) Function g calls function f
- c) Variable z is a local variable of function g
- d) Function g is declared and defined.
- e) y is a parameter of function g .

```
double f(int x);
int g(int x, int y)
{
    int z;

    z = f(x) + 2*y;
    return z;
}
```

Quiz: Question 9

- Given the following code fragment, which of the following statements are true?

(Check all that apply!)

- a) Function f is declared.
- b) Function g calls function f
- c) Variable z is a local variable of function g
- d) Function g is declared and defined.
- e) y is a parameter of function g .

```
double f(int x);
int g(int x, int y)
{
    int z;

    z = f(x) + 2*y;
    return z;
}
```

Quiz: Question 10

- Given that the C standard math library is included, which of the following expressions results in the value 4.0?
(Check all that apply!)

- a) `pow(16.0, .5)`
- b) `4.0 * cos(0.0)`
- c) `3 + sin(0.0)`
- d) `log10(10000.00)`
- e) `sqrt(15.0) + 1`

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

31

Quiz: Question 10

- Given that the C standard math library is included, which of the following expressions results in the value 4.0?
(Check all that apply!)

- a) `pow(16.0, .5)`
- b) `4.0 * cos(0.0)`
- c) `3 + sin(0.0)`
- d) `log10(10000.00)`
- e) `sqrt(15.0) + 1`

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

32

Quiz: Question 11

- Given the following program fragment, what is the value of $g(2, f(3, 4))$?

- a) 8
- b) 9
- c) 10
- d) 11
- e) 12


```
int x = 7;

int f(int x, int y)
{
    return x + y;
}

int g(int x, int y)
{
    return f(y, x);
}
```

Quiz: Question 11

- Given the following program fragment, what is the value of $g(2, f(3, 4))$?

- a) 8
-  b) 9
- c) 10
- d) 11
- e) 12

```
int x = 7;

int f(int x, int y)
{
    return x + y;
}

int g(int x, int y)
{
    return f(y, x);
}
```

Quiz: Question 12

- What is output by the following program fragment?


```
char s[] = "EECS10";  
s[4] = 0;  
printf("%s %c", s, s[2]);
```

- a) **EECS00 1**
- b) **EEC 10 0**
- c) **E E**
- d) **EECS C**
- e) **EEC C**

Quiz: Question 12

- What is output by the following program fragment?

```
char s[] = "EECS10";  
s[4] = 0;  
printf("%s %c", s, s[2]);
```

- a) **EECS00 1**
- b) **EEC 10 0**
- c) **E E**
-  d) **EECS C**
- e) **EEC C**

Quiz: Question 13

- Given the definition `double p=0.0125;` which of the following C statements will print out `p = 1.25%` ?
(Check all that apply!)

- a) `printf("p = %d.25%%", (int)(p*100.0));`
- b) `printf("p = %p", 100.0*p);`
- c) `printf("p = %.2f%%", p*100.0);`
- d) `printf("p = %.2f%c", p*100.0, '%');`
- e) `printf("p = ", 100.0 * p, "%");`

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

37

Quiz: Question 13

- Given the definition `double p=0.0125;` which of the following C statements will print out `p = 1.25%` ?
(Check all that apply!)

- a) `printf("p = %d.25%%", (int)(p*100.0));`
- b) `printf("p = %p", 100.0*p);`
- c) `printf("p = %.2f%%", p*100.0);`
- d) `printf("p = %.2f%c", p*100.0, '%');`
- e) `printf("p = ", 100.0 * p, "%");`

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

38

Quiz: Question 14


- Which of the following statements is true for an *algorithm*?
(Check all that apply!)
 - a) An algorithm must be indeterministic.
 - b) An algorithm solves a problem quickly.
 - c) An algorithm is historically based on Al Gore's rythm.
 - d) An algorithm executes a program using pseudo code.
 - e) An algorithm must terminate after a finite number of steps.

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

39

Quiz: Question 14

- Which of the following statements is true for an *algorithm*?
(Check all that apply!)
 - a) An algorithm must be indeterministic.
 - b) An algorithm solves a problem quickly.
 - c) An algorithm is historically based on Al Gore's rythm.
 - d) An algorithm executes a program using pseudo code.
 -  e) An algorithm must terminate after a finite number of steps.

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

40

Quiz: Question 15

- Which of the following declarations can be added to the program in line 8 without creating a compilation error?

(Check all that apply!)

- a) `int f(int v, double w);`
- b) `int g = 0;`
- c) `int g(int x, int y);`
- d) `int x = 2;`
- e) `int f(double v, double w);`

```

1 int x = 2;
2 int f(int v, double w);
3 int g(int x, int y)
4 { int z;
5   z = 2*x + 5*y - 42;
6   return z;
7 }
8

```

Quiz: Question 15

- Which of the following declarations can be added to the program in line 8 without creating a compilation error?

(Check all that apply!)

- a) `int f(int v, double w);`
- b) `int g = 0;`
- c) `int g(int x, int y);`
- d) `int x = 2;`
- e) `int f(double v, double w);`

```

1 int x = 2;
2 int f(int v, double w);
3 int g(int x, int y)
4 { int z;
5   z = 2*x + 5*y - 42;
6   return z;
7 }
8

```

Quiz: Question 16

- The following function `issorted` is supposed to return true if and only if the given array `L` is sorted in increasing order.
- What should go into `Box1` in line 3?

a) <code>i=1; i<10; i++</code>	1 <code>int issorted(int L[10])</code>
b) <code>i=0; i<10; i++</code>	2 <code>{ int i;</code>
c) <code>i=0; i<9; i++</code>	3 <code>for(<code>Box1</code>)</code>
d) <code>i=10; i>0; i--</code>	4 <code>{ if(L[i] >= L[i+1])</code>
e) <code>i=9; i>=0; i--</code>	5 <code>{ <code>Box2</code>; }</code>
	6 <code>}</code>
	7 <code><code>Box3</code> ;</code>
	8 <code>}</code>


EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

43

Quiz: Question 16

- The following function `issorted` is supposed to return true if and only if the given array `L` is sorted in increasing order.
- What should go into `Box1` in line 3?

a) <code>i=1; i<10; i++</code>	1 <code>int issorted(int L[10])</code>
b) <code>i=0; i<10; i++</code>	2 <code>{ int i;</code>
 c) <code>i=0; i<9; i++</code>	3 <code>for(<code>Box1</code>)</code>
d) <code>i=10; i>0; i--</code>	4 <code>{ if(L[i] >= L[i+1])</code>
e) <code>i=9; i>=0; i--</code>	5 <code>{ <code>Box2</code>; }</code>
	6 <code>}</code>
	7 <code><code>Box3</code> ;</code>
	8 <code>}</code>

EECS10: Computational Methods in ECE, Lecture 13

(c) 2018 R. Doemer

44

Quiz: Question 17

- The following function `issorted` is supposed to return true if and only if the given array `L` is sorted in increasing order.
- What should go into `Box2` in line 5?


- a) `return 0`
- b) `return 1`
- c) `continue`
- d) `break`
- e) `return`

```

1 int issorted(int L[10])
2 { int i;
3   for(Box1)
4     { if(L[i] >= L[i+1])
5       { Box2; }
6     }
7   Box3 ;
8 }
```

Quiz: Question 17

- The following function `issorted` is supposed to return true if and only if the given array `L` is sorted in increasing order.
- What should go into `Box2` in line 5?

-  a) `return 0`
- b) `return 1`
- c) `continue`
- d) `break`
- e) `return`

```

1 int issorted(int L[10])
2 { int i;
3   for(Box1)
4     { if(L[i] >= L[i+1])
5       { Box2; }
6     }
7   Box3 ;
8 }
```

Quiz: Question 18

- The following function `issorted` is supposed to return true if and only if the given array `L` is sorted in increasing order.
- What should go into `Box3` in line 7?


- a) `return 0`
- b) `return 1`
- c) `continue`
- d) `break`
- e) `return`

```

1 int issorted(int L[10])
2 { int i;
3   for(Box1)
4     { if(L[i] >= L[i+1])
5       { Box2; }
6     }
7   Box3 ;
8 }
```

Quiz: Question 18

- The following function `issorted` is supposed to return true if and only if the given array `L` is sorted in increasing order.
- What should go into `Box3` in line 7?

- a) `return 0`
-  b) `return 1`
- c) `continue`
- d) `break`
- e) `return`

```

1 int issorted(int L[10])
2 { int i;
3   for(Box1)
4     { if(L[i] >= L[i+1])
5       { Box2; }
6     }
7   Box3 ;
8 }
```


Quiz: Question 19

- What is output by the following C statement?


```
int x = 0, y = 5;  
x = y++;  
printf("x = %d, y = %d", x, y);
```

- a) **x = 0, y = 5**
- b) **x = 5, y = 5**
- c) **x = 5, y = 6**
- d) **x = 6, y = 5**
- e) **x = 6, y = 6**

Quiz: Question 19

- What is output by the following C statement?

```
int x = 0, y = 5;  
x = y++;  
printf("x = %d, y = %d", x, y);
```

- a) **x = 0, y = 5**
- b) **x = 5, y = 5**
-  c) **x = 5, y = 6**
- d) **x = 6, y = 5**
- e) **x = 6, y = 6**

Quiz: Question 20

- What is output by the following C statement?


```
int x = 0, y = 5;  
x = ++y;  
printf("x = %d, y = %d", x, y);
```

- a) **x = 0, y = 5**
- b) **x = 5, y = 5**
- c) **x = 5, y = 6**
- d) **x = 6, y = 5**
- e) **x = 6, y = 6**

Quiz: Question 20

- What is output by the following C statement?

```
int x = 0, y = 5;  
x = ++y;  
printf("x = %d, y = %d", x, y);
```

- a) **x = 0, y = 5**
- b) **x = 5, y = 5**
- c) **x = 5, y = 6**
- d) **x = 6, y = 5**
-  e) **x = 6, y = 6**

Quiz: Question 21

- Consider the following program fragment:

```
unsigned int x=0, y=0;
scanf("%d", &x);
while((x>=1) != 0)
    {y += 1;}
printf("%d", y);
```

- When running the program, which of the following is correct? (Check all that apply!)
- a) If the user enters 6, it will print 2.
- b) If the user enters 6, it will print 3.
- c) If the user enters 4, it will print 2.
- d) If the user enters 4, it will print 1.
- e) If the user enters 4, it will print 4.

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

53

Quiz: Question 21

- Consider the following program fragment:

```
unsigned int x=0, y=0;
scanf("%d", &x);
while((x>=1) != 0)
    {y += 1;}
printf("%d", y);
```

- When running the program, which of the following is correct? (Check all that apply!)
- a) If the user enters 6, it will print 2.
- b) If the user enters 6, it will print 3.
- c) If the user enters 4, it will print 2.
- d) If the user enters 4, it will print 1.
- e) If the user enters 4, it will print 4.

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

54

Quiz: Question 22

- Consider the following program fragment:

```
unsigned int x=0, y=0;
scanf("%d", &x);
while((x>>=1) != 0)
    {y += 1;}
printf("%d", y);
```

- Which of the following statements are true about the program? (Check all that apply!)
 - y will be the integer part of $\log_2(x)$
 - y will be equal to x
 - It computes the product of x and y
 - It sets y to the sum of x and y
 - The condition in line 3 is equivalent to $(x/=2) != 0$

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

55

Quiz: Question 22

- Consider the following program fragment:

```
unsigned int x=0, y=0;
scanf("%d", &x);
while((x>>=1) != 0)
    {y += 1;}
printf("%d", y);
```

- Which of the following statements are true about the program? (Check all that apply!)
 - y will be the integer part of $\log_2(x)$
 - y will be equal to x
 - It computes the product of x and y
 - It sets y to the sum of x and y
 - The condition in line 3 is equivalent to $(x/=2) != 0$

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

56

Quiz: Question 23

- Which of the following expressions yield a result type of **double**?
(Check all that apply!)

- a) `5 * 100000`
- b) `5 * 100.00`
- c) `(int)5.3 > 3.0`
- d) `10 / 3`
- e) `5.0 / 5`

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

57

Quiz: Question 23

- Which of the following expressions yield a result type of **double**?
(Check all that apply!)

- a) `5 * 100000`
- b) `5 * 100.00`
- c) `(int)5.3 > 3.0`
- d) `10 / 3`
- e) `5.0 / 5`

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

58

Quiz: Question 24

- What is output by the following C statement?


```
printf("%d + %d + %d", 1, 2, 1+2);
```

- a) 1 + 2 + 1+2
- b) %d + %d + %d, 1, 2, 1+2
- c) 6
- d) %1 + %2 + %3
- e) 1 + 2 + 3

Quiz: Question 24

- What is output by the following C statement?

```
printf("%d + %d + %d", 1, 2, 1+2);
```

- a) 1 + 2 + 1+2
- b) %d + %d + %d, 1, 2, 1+2
- c) 6
- d) %1 + %2 + %3
-  e) 1 + 2 + 3

Quiz: Question 25

- Consider the following C program fragment regarding systolic blood pressure (line numbers are not part of the code):
- Which of the following changes, if applied individually, would be required in order to have **HighNormal** printed when 125 is entered? (Check all that apply!)

```

1 int x;
2 scanf("%d", &x);
3 if (x >= 140)
4     { printf("High"); }
5 if (x >= 120)
6     { printf("HighNormal"); }
7 if (x > 90)
8     { printf("Normal"); }
9 if (x < 90)
10    { printf("Low"); }

```

- a) Change line 8 to `printf("High");`
- b) Change line 7 to `if (x > 90 && x < 120)`
- c) Change line 7 to `if (x > 90 || x < 120)`
- d) Change line 6 to `printf("High");`
- e) Change line 8 to `printf("HighNormal");`

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

61

Quiz: Question 25

- Consider the following C program fragment regarding systolic blood pressure (line numbers are not part of the code):
- Which of the following changes, if applied individually, would be required in order to have **HighNormal** printed when 125 is entered? (Check all that apply!)

```

1 int x;
2 scanf("%d", &x);
3 if (x >= 140)
4     { printf("High"); }
5 if (x >= 120)
6     { printf("HighNormal"); }
7 if (x > 90)
8     { printf("Normal"); }
9 if (x < 90)
10    { printf("Low"); }

```

- a) Change line 8 to `printf("High");`
- b) Change line 7 to `if (x > 90 && x < 120)`
- c) Change line 7 to `if (x > 90 || x < 120)`
- d) Change line 6 to `printf("High");`
- e) Change line 8 to `printf("HighNormal");`

EECS10: Computational Methods in ECE, Lecture 7

(c) 2013 R. Doemer

62